

***BARBER DIME
DOUBLED DIES***

1892 Doubled Die Obverse

DDO-001

Cross reference : None

Description : Class II, *Distorted Hub Doubling*
Doubling seen on the UNITED STATES OF AMERICA, both ribbons, and the base of the bust. Stronger on the left side.





Die Markers:

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	40	60	110	170	260

Comments : There are over 30 doubled dies known for the 1892 Barber quarters. Why are there not more Barber dime doubled dies known?



1898-O Doubled Die Reverse

DDR-001

Cross reference : RPD-001

Description : Class II, *Distorted Hub Doubling*

Doubling seen on the bow and ribbon, lower left side wreath and leaves, right side wreath, leaves, and corn.

Repunched Date: 1898/1

Repunched 1 south.






Die Markers:

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	140	200	280	550	1250

Comments : This was the first known published doubled die for a Barber dime. It was found and published in 2002.



***BARBER DIME
MISPLACED DATES***

1896 Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 6 is seen at the top of the denticles below the 9.

Location in denticles:

6 L 1 .9

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	65	80	125	200	400

Comments : Why have there been no Barber dime MPDs found between 1892 and 1895. Is it because we just have not looked hard enough? Is it because Mint Chief Engraver Charles Barber supervised the production of the dies during the early years of the coins he designed? Barber was a perfectionist when it came to making better coinage dies. His letters demonstrate how he sought designs which would add life to the dies. It would be interesting to find a MPD on an 1892 dime.



1897-S Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (in denticles).*

The tops of all 4 digits can be seen near the top of the denticles. The serif of the 1 is seen protruding from a denticle. The entire top of the 8 is seen across two denticles. The bold top of a 9 is seen at the top of the denticles and the top of a 7 is seen below the top.

Location in denticles:

1	0 1
8	0 1
9	0 1
7	L 1 .7




Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	95	145	240	400	1050

Comments : The Barber series is now being examined closer for die varieties. Many more MPDs such as these are bound to be discovered. On some varieties such as this, as the base price of the coin is high, less of a premium would be commanded for the die variety. _



1897-S Misplaced Date

MPD-002

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 1 can be seen in the bottom of a denticle. The top of an 8 can be right above the rim below the 8. The top of a 9 can be seen in the middle of the denticles below the 9.

Location in denticles:

1	0 .1
8	0 .1
9	0 .7


Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	95	145	240	400	1040

Comments : In my original MPD book published in 1996, there were 28 Barber dime, quarter, and half dollar MPDs. In this book, there are 57 listed Barber MPDs, more than twice as many.



1898-S Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 8 and 9 can be seen at the top of the denticles beneath the 89.

Location in denticles:

8	0 1
9	0 1



Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	45	75	140	310	1000

Comments : Using overlays, it was found that if a center aligned date placement jig was used, no denomination overlaid onto a barber dime would cause a digit in the denticle. Yet there are many such MPDs in this series. The most probable cause for misplaced dates is inexperience and carelessness.



1899-S Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 8 is seen at the top of the denticles below the 8. The top of two 9s is seen below the normal 9s at the top of the denticles.

Location in denticles:

8	0	1
9	0	1
9	0	1

Die Markers:



Obverse - None noted.

Reverse - None noted.



	VF	XF	AU	MS60	MS63
Value :	45	65	150	320	675

Comments : One nice thing about Barber dimes is that the denticles are spaced with room between. In other series such as Morgan Dollars, the denticles are usually closer together. The more space between the denticles, the more misplaced digits might be visible.



1900-S Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (in neck).*

The bottom of a 0 is seen protruding from the bottom of the neck.



Die Markers:

Obverse - Die crack from the rim to the bust.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	30	45	100	250	525

Comments : The fact that this variety is the only MPD in the Barber dimes which is not in the denticles makes this more desirable.



1902 Misplaced Date

MPD-001

Cross reference : RPD-001

Description : *Misplaced Date (in denticles).*

The top of a 0 is seen at the top of the denticles below the 0.

Repunched Date:

Repunched 2 seen above top of the 2.

Location in denticles:

0 0 1


Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	35	75	120	180

Comments : Many factors are involved in pricing. For example one consideration is how dramatic a die variety is. A misplaced date is usually much more dramatic than a repunched date, therefore a higher premium is used. Another consideration is interest. Liberty Seated coinage has a higher collector interests than the Barber series, therefore they might command a higher premium for a die variety which is similar. Interests also increases over time, for example, as more collectors search for MPDs, more interest is generated.



1902 Misplaced Date

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 0 is seen at the top of the denticles below the 0.

Location in denticles:

0 0 1

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	35	70	115	170

Comments : Another consideration in pricing die varieties is the amount of publication a die variety receives. The more people know what to look for, the more interest grows. One thing nice about MPDs, is that there are many out there to be found in series such as this because collector's are just starting to look at the coins closer for die varieties such as these.



1902-O Misplaced Date

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 0 is seen in the denticles to the left of the 0. The top of a 2 is seen in the denticles to the left of the 2.

Location in denticles:

0 L 1 .7
2 L 1 .8


Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	35	75	120	180

Comments : The top of the 2 here is very bold leaving little doubt as to what it is. The shape, contour, and size are all the same as the top of the 2 making it easy to identify.



1903 Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (in denticles).*

The tops of two 0s and a 3 can be seen near the top of the denticles.

Location in denticles:

0	0 .8
0	0 .5
3	L 2 1

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	28	45	95	140	200

Comments : The top of the 0 is very strongly punched into the denticles. This example was a low grade specimen, a higher grade might exhibit more digits.



1905 Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 0 and 5 can be seen in the middle of the denticles below the normal digits.

Location in denticles:

0	R 1 .6
5	R 1 .6




Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	28	45	95	140	200

Comments : If you find an MPD which has not been published, share your find with others. There are many people in coin clubs who have the ability to photograph coins and would gladly help you share the knowledge of your variety.



1906 Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 0 is seen in the denticles to the right of the 0.

Location in denticles:

0 R 1 1

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	35	80	125	195

Comments : With the 0 being so strongly punched into the denticles so high, it is surprising that no other digits are seen. The curvature matches that of the 0, not the 6. The digit is also located under the 0.



1906 Misplaced Date

MPD-002

Cross reference : RPD-001

Description : *Misplaced Date (in denticles).*

The top of a 0 and 6 can be seen in the denticles to the left of the normal 06.

Location in denticles:

0	L 2 .7
6	L 2 .7

Repunched Date: 1906/1906

Repunching on all 4 digits seen south.


Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	35	80	120	190

Comments : With over 20 MPDs for the 1906 Indians cents, we should expect to find many MPDs in other denominations in 1906. Barber dimes are roughly the same size as the Indian cents. For both the Indian cents and Barber dimes, the distance between the normal date and digits in the denticles is about 1/10 of an inch. If inexperience and carelessness were the cause of misplaced dates, it would be expected that the same number of MPDs would be produced for both series. One obvious difference between the Barber dimes and Indian cents in 1906 is that there were 96 million Indian cents struck and 19 million Barber dimes struck. Most likely, there were far fewer Barber dime working dies created for 1906, therefore lower probability of die varieties for the dimes.



1906 Misplaced Date

MPD-003

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 9, 0 and 6 can be seen near the top the denticles to the left of the final digits.

Location in denticles:

9	0 .8
0	0 .8
6	L 1 1.2


Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	35	85	130	200

Comments : The digits in the denticles are weak but definitely present. Many of the Barber dime MPDs have multiple digits in the denticles making it easier to identify them as MPDs. The distance between them matches that of the normal digits. There are many pieces of evidence which will help understand how to verify an MPD.



1906 Misplaced Date

MPD-004

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 9 and 0 can be seen in the middle of the denticles.

Location in denticles:

9	R 1 .7
0	0 .4

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	35	80	120	190



Comments : With multiple digits in the denticles, it is easier to verify that they are digits by measuring the distance between them and verifying them against the regular digits. Studying the curvature of the metal is another determining factor.



1906 Misplaced Date

MPD-005

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a two 0's can be seen in the denticles to the left of the 0. The top of two 6's can be seen in the denticles between the 0 and 6.

Location in denticles:

0	L 1 1
0	0 .8
6	L 2 0
6	L 1 .8


Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	30	45	95	155	250

Comments : This is the second strongest MPD for the Barber dimes known. The date punch was boldly punched into the denticles twice. The digits of the date punch were struck into the die deeper than the denticles, therefore showing above them on the coin for the two 6s.



1906 Misplaced Date

MPD-006

Cross reference : RPD-003

Description : *Misplaced Date (in denticles).*

The top of a 0 is seen at the top of the denticles to the left of the 0. The top of a 6 is seen at the top of the denticles to the left of the 6.


Repunched Date: 1906/06

Repunched 0 seen above base.

Repunched 6 seen above middle.

Location in denticles:

0	0 1
6	L 1 0




Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	32	75	115	185

Comments : 1906 through 1908 are years where a large number of MPDs and repunched dates for most denominations.



1906-D Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (in denticles).*

The tops of all 4 digits can be seen near the top of the denticles. The top of the 1 is seen above the denticles below the right side of the 1. The top of the 9 is seen at the top of denticles below the 9. The top of the 0 is seen boldly across two denticles. The top of the 6 is seen boldly struck below the left side of the 6.

Location in denticles:

1	R 1 1.4
9	0 .9
0	0 .8
6	0 .8



Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	24	45	100	180	340

Comments : Having all 4 digits in the denticles makes a MPD very desirable, having some of these digits above the denticles where they should have been visible makes them precious. The depth all four digits were punched is about the same showing that the date punch was flat across the denticles when it was struck.



1906-D Misplaced Date

MPD-002

Cross reference : RPD-001

Description : *Misplaced Date (in denticles).*

The tops of two or three sets of digits can be seen in the denticles. The top of a 1 is seen above the denticles below the left side of the 9. Two 9s can be seen in the denticles, the first below the 9 at the top, the second to the right. The tops of threes different 0s can be seen below the 0. The top of a 6 is seen between the 0 and 6.

Location in denticles:

1	R 1 1.4				
9	0 .9	9	0 .75		
0	0 1	0	0 .5	0	0 .5
6	L 1 .4				

Repunched Date: 1906/1906/9

Repunched 1 seen above the base and top. Tripled punched 9, with the second two 9s seen above the base and middle. Repunched 0 seen above the bottom. Repunched 6 seen above the bottom and middle. What looks like the top of a 0 is seen above the base of the 0.


Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	24	45	100	180	340

Comments : This is one of the nicer multi-variety Barber dimes. At least three sets of digits were punched in to the denticles, the date was repunched at least three times. What looks like the top of a 0 is seen above the bottom of the 0. The date was punched at least six times into this working die.



1906-D Misplaced Date

MPD-003

Cross reference : RPD-002

Description : *Misplaced Date (in denticles).*

The top of a 0 is seen in the middle of the denticles to the left of the 0.

Repunched date: 1906/906

Repunched 9 seen above the base.

Repunched 0 seen above the base.

Repunched 6 seen above the base.

Location in denticles:

0 0 .5



Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	24	45	100	170	320

Comments : For some reason, many of the 1906-D Barber dime varieties are multi-variety. Most contain a combination of misplaced dates and repunched dates, others contain repunched dates and RPMs. A higher grade of this variety is needed to determine if there are more digits in the denticles.



1906-D Misplaced Date

MPD-004

Cross reference : RPD-004

Description : *Misplaced Date (in denticles).*

The top of a 0 is seen in the middle of the denticles to the left of the 0. The top of a 6 is seen in the upper part of the denticles below the 0.

Repunched date: 1906/106

Repunched 1 seen below the bottom.

Repunched 0 seen in the lower middle of the 0.

Repunched 6 seen in the lower and upper loop.

Location in denticles:

0 L 1 .5

6 L 2 .8






Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	24	45	100	180	335

Comments : The market for misplaced dates will grow as more collectors search for them. Collector interest is a prime factor in pricing die varieties.



1906-O Misplaced Date

MPD-001

Cross reference : RPD-001

Description : *Misplaced Date (in denticles).*

The top of a 0 is seen at the top of the denticles between the 9 and 0.

Repunched Date: 1906/1906

Repunched 1 seen to the right.

Repunched 9 east seen on the left inside upper and lower loop of the 9.

Repunched 0 see above the top right and on the left inside.

Repunched 6 seen on the left inside of the lower loop.

Location in denticles:

0 L 1 .8

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	60	95	145	220	350

Comments : An interesting study would be to see the number of dies used for each of the denominations struck between 1906 and 1908 to the number of die varieties created. If there is a correlation, then this leads to the higher probability that the cause of misplaced dates is the result of inexperience and carelessness. That during these years and inexperienced individual was responsible for striking the dates into the obverse working dies.



1907 Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of all 4 digits can be seen near the top of the denticles. The top of the 1 is seen below the 9 at the top of the denticles. The top of the 8 is seen between the 9 and 0 in the middle of the denticles. The top of a 0 is seen at the top of the denticles below the 0. The top of a 7 is seen at the top of the denticles below the 7.

Location in denticles:

1	R 2 1
9	R 1 .5
0	0 .8
7	0 .8


Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	22	45	90	130	200

Comments : 1907 is another year in which there should be an abundance of MPDs in different series as so many mistakes were produced in the Indian cent series for this year. The hunt goes on.



1907 Misplaced Date

MPD-002

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 0 is seen in the denticles between the 0 and 7.

Location in denticles:

0 R 1 .8

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	35	75	110	180

Comments : The date position can be used to distinguish between dies. As the date was punched into each die by hand, the relative location between the rim and bust will be different. One easy to use key is the relative location of the 1 below the B initial. Another key is whether the first or last digit is closer to the bust or denticles.



1907-D Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 7 is seen at the top of the denticles below the normal 7.

Location in denticles:

7 0 1

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	30	50	125	275	725

Comments : Having a 7 in the denticles is exciting as it has one of the widest tops and sometimes expands over 3 denticles. A higher grade specimen is needed to see if there are other digits in the denticles.



1907-D Misplaced Date

MPD-002

Cross reference : RPD-001

Description : *Misplaced Date (in denticles).*

The bold tops of a 9, 0, and 7 can be seen at the top of the denticles to the left of the final digits. The top of a 1 can be seen partially protruding from the right side of a denticle below the 1.

Location in denticles:

1	0	1
9	0	.7
0	L	1 .9
7	L	1 .8

Repunched date: 1907/907

Repunched 9 seen above the bottom and top.

Repunched 0 seen above the bottom.

Repunched 7 seen above the top.




Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	30	50	130	285	740

Comments : These digits were very heavily punched into the die, leading to the obvious conclusion that the die sinker was trying to punch the date into the die.



1907-S Misplaced Date

MPD-001

Cross reference : RPD-004

Description : *Misplaced Date (in denticles).*

The tops of all 4 digits can be seen near the top of the denticles.

Location in denticles:

1	R 1 .7
9	R 1 .6
0	0 .9
7	0 .8

Repunched date: 1907/907

Repunched 1 seen above the top.

Repunched 9 seen above the bottom and middle.



Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	35	55	130	340	790

Comments : This is another nice 4 digit MPD near the top of the denticles which is very dramatic. If you get tired of Indian MPDs or other series, the Barber series contains nice treasures.



1907-S Misplaced Date

MPD-002

Cross reference : None

Description : *Misplaced Date (in denticles).*

The tops of a 0 and 7 can be seen near the top of the denticles.

Location in denticles:

0	0 .7
7	L 1 .9

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	35	55	130	330	780

Comments : Both digits are very obvious and very deeply punched into the denticles. What looks like the outline of a 9 is seen under the 9 in the date photo. It is obvious that the date punch was tilted to the right.



1907-S Misplaced Date

MPD-003

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 0 and 7 can be seen at the top of the denticles.

Location in denticles:

0	0 .8
7	0 1


Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	35	55	130	330	780

Comments : Even with this low grade specimen the top of the 7 is very obvious as it crosses over 3 denticles. Look at the damage done to the top of the three denticles. A higher grade specimen is needed to see if there are more digits.



1908 Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (east & in denticles).*

The top of all four digits can be seen in the denticles. The top of the 1 and 9 are just above the rim. The top of the 9 is near the middle of the denticles. The top of the 8 is near the top of the denticles.

Location in denticles:

1	0	.2
9	L 1	.2
0	L 1	.3
8	L 1	.9



Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	28	50	65	135	185

Comments : The left top of the logo punch was placed on the edge of the rim with only the tops peeking into the denticles. The right side of the top of the 8 is probably behind the 'blob' of metal which filled in the gap between the denticle.



1908 Misplaced Date

MPD-002

Cross reference : None

Description : *Misplaced Date (east & in denticles).*

The bold top of a 8 is seen at the top of the denticles to the left of the 8.

Location in denticles:

8 0 1

Die Markers:


Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	35	60	85	170	225



Comments : This is the nicest, boldest, most dramatic MPD in the Barber dime series, it can easily be seen with the naked eye. The top right side of the 8 was punched through the highest point in the denticle.



1908 Misplaced Date

MPD-003

Cross reference : RPD-014, L102

Description : *Misplaced Date (above denticles).*

The top of a 1 is seen above the denticles below the 1. The top of a 0 is seen above the denticles below the 0.

Location in denticles:

1	0	1.3
0	0	1.3




Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	40	85	120	170

Comments : 1908 marks the end of repunched dates and misplaced dates. From 1909 forward, the date was either part of the galvano, or punched into the master die. A higher grade of this variety is needed for further study.



1908-D Misplaced Date

MPD-001

Cross reference : None

Description : *Misplaced Date (east & in denticles).*

The tops of all 4 digits can be seen in the upper middle of the denticles.

Location in denticles:

1	R 1 .9
9	R 1 .8
0	0 .8
8	0 .6

Die Markers:


Obverse - None noted.

Reverse - None noted.



	VF	XF	AU	MS60	MS63
Value :	35	60	95	170	250

Comments : The top of the 8 was deeply struck into the die below the level of the top of the denticles. This variety is visible in almost any grade.



1908-D Misplaced Date

MPD-002

Cross reference : None

Description : *Misplaced Date (in denticles).*

The top of a 0 is seen in the middle of the denticles to the left of the 0. The top of a 8 is seen in the upper part of the denticles to the left of the 8.

Location in denticles:

0	L 1 .5
8	L 1 .8

Die Markers:


Obverse - None noted.

Reverse - None noted.



	VF	XF	AU	MS60	MS63
Value :	35	60	90	165	240

Comments : Several dramatic Barber dime MPDs were included in this book which were not known in 1996 when my MPD book was published. How can easily visible varieties such as this be looked over? Is it because collectors are just starting to look closer at these coins? Is it because collectors are more interested in other series such as Morgan Dollars?



BARBER DIME
REPUNCHED MINTMARKS

1892-O/O Repunched Mintmark

RPM-001

Cross reference : RPM #1, L-102

Description : RPM O/O

Repunched O north seen above the bottom of the normal O mintmark.


Diagnostics :

Obverse – Die crack from the back of the neck to the ribbon. Die crack through the top of the 892. Die crack from the rim to the tip of the bust.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	45	55	95	175	360

Comments : This variety is not that uncommon. The mintmark was struck into the working die as the last stage of their production. The die sinker used a punch with the mintmark on one side, and struck it into the softened die with a hammer or mallet. Striking more than once in a different location would cause an extra letter to appear.



1893-S/S Repunched Mintmark

RPM-001

Cross reference : RPM #1, FS-009, L-101

Description : RPM S/S

Repunched S wide east. The upper serif is clearly seen to the right of the top of the S. The upper left curve is seen to the left upper serif. The entire diagonal and lower curve is seen to the right of the right of the S. The lower serif is seen to the left of the lower curve.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	60	90	150	375	650

Comments : This is the same reverse as 1893-S RPM-001A except that no strike doubling is seen on the left side of the S. It is an earlier die stage than RPM-001A. The relative location to the ribbon is exactly the same for RPM-001 and RPM-001A.



1893-S/S Repunched Mintmark

RPM-001A

Cross reference : RPM #1, FS-009, L-101, RPD-002

Description : RPM S/S

Repunched S wide east. The upper serif is clearly seen to the right of the top of the S. The upper left curve is seen to the left upper serif. The entire diagonal and lower curve is seen to the right of the right of the S. The lower serif is seen to the left of the lower curve.

Repunched Date: 1893/93

Repunched 9 east seen in the upper loop.

Repunched 3 east seen to the right of the upper knob.



Diagnostics :


Obverse – EDS - Repunched Date. MDS - Different obverse die, no repunching on the date. Die crack from the ribbon through the back base of the neck through 893 to the rim. Die crack from the front base of the neck to the rim.

Reverse – Strike doubling seen on the left side of the S mintmark. Small die chips seen on the curve of the repunched S.



	VF	XF	AU	MS60	MS63
Value :	60	90	150	375	650

Comments : The reverse is a later die state of 1893-S RPM-001. There is strike doubling seen on the left side of the S mintmark. The repunching on the mintmark is slightly weaker.



1893-S/S Repunched Mintmark

RPM-002

Cross reference : None

Description : RPM S/S

Repunched S east seen in the middle of the upper and lower curves.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	50	80	140	325	600

Comments : This RPM is almost equal in strength of separation to the 1893-S RPM-001, but because there is no part of the repunched mintmark seen to the right of the normal mintmark, there is less interest in this variety.



1897-O/O Repunched Mintmark

RPM-001

Cross reference : None

Description : RPM O/O

Repunched O west seen to the left of O mintmark.
No parts of the repunched O is seen in the middle of the primary O.


Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	325	400	575	750	1300

Comments : This is a previously unpublished RPM. It is also the only published die variety for 1897-O. The high price is because the base price for the 97-O is high because of the low mintage and rarity of the date and mintmark. If the base price is high, the premium will be lower unless the variety is extremely dramatic.



1899-O/O Repunched Mintmark

RPM-001

Cross reference : L-103

Description : RPM O/O

Repunched O west seen to the left of the O mintmark. No parts of the repunched O is seen in the middle of the primary O.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	95	150	250	460	1125

Comments : This variety has been known for a while, it is not that uncommon in circulated grades. The high price is primarily based on the high base price for the 99-O. The repunched O is tilted slightly counter-clockwise. It is surprising to see no remnants of the repunched O inside the O. Perhaps the mint engraver was laying the O mintmark punch on the die at an angle to first get his bearings on the design elements.



1901-O O/ Horizontal O

RPM-001

Cross reference : RPM #1, Breen 3529, FS-010, L-103, RPD-004

Description :

Repunched mintmark

The O was first punched horizontally. One side of the repunched O is seen below the top of the normal O mintmark. The other side is seen above the bottom. No part of the repunched O is seen outside the normal O mintmark.

Repunched date: Repunched 9 north seen above the middle. Repunched second 1 north seen above the base and top.

Diagnostics :

Die Markers:


Obverse – Stage A - Repunched date
Stage B - Different obverse die. Die clashing seen in front of the neck, in front of the chin, and from the back of the neck through the ribbon.

Reverse – Stage A - Die crack from the O up through the ribbon, leaves to the rim at 3 o'clock. Stage B - Outline of the front of the face of Miss Liberty is between ONE DIME and the right side wreath. Die clashing also seen below the left top side of the wreath. Die crack from the wreath at 8 o'clock, down through the ribbon, to the middle of the O mintmark, then going through the bottom of the O.

	VF	XF	AU	MS60	MS63
--	----	----	----	------	------

Value :	40	80	170	500	1350
----------------	----	----	-----	-----	------

Comments : This variety is rare in Mint State grade. ANACS has certified eighteen circulated specimens and two uncirculated ones. Listed in the Red book, but no photos are shown. Recently a high grade MS66 specimen was sold at an auction. The first high grade specimen examined (photo to the right on the bottom), had a very sheered top edge on the lower part of the horizontal O. It also displayed a 45 degree slope, which is not consistent with the inside metal of an O mintmark. This led to the initial conclusion that this variety was not the result of an horizontal O mintmark. Several high grade earlier die states were recently examined (center photo to the right as an example), that clearly showed that this variety was the result of a horizontal O mintmark. The metal below the top and above the bottom are consistent with the sides of an O mintmark.



1902-O/O Repunched Mintmark

RPM-001

Cross reference : RPD-001

Description : RPM O/O

Repunched O south seen below the bottom of the O mintmark.


Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	30	50	160	350	800

Comments : Are many new RPMs not found because collectors are more likely to look at the obverse closer than the reverse? Are there more Barber RPMs out there to be found? The answer is most likely yes. This book presented many new Barber RPMs which have never been published. There are bound to be others as more collectors look at the coins closer for treasures.



1905-S/S Repunched Mintmark

RPM-001

Cross reference : L-101

Description : RPM S/S

Repunched S titled counter-clockwise, seen on both the lower and upper serifs.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	28	45	115	215	360

Comments : Are RPMs worth a higher premium than doubled dies? There are many factors which can play into this. For example, take the 1892 P and O Barber quarter doubled dies with over 30 known. The more common a variety is, the less the premium. Under those circumstances the RPM of which only one variety is known would probably be of higher premium than the average doubled dies. If it were a one to one comparison, the doubled die would probably win. This would partially be due to doubled dies being more sought after than RPMs, therefore have an increased interest.



1906-D/D Repunched Mintmark

RPM-001

Cross reference : RPD-003

Description : RPM D/D

Repunched D south seen below both serifs, the top and lower cross bars.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	20	40	95	165	315

Comments : Not a dramatic RPM, but another example of a new RPM found in this series which has probably been over looked by collectors.



1906-D/D Repunched Mintmark

RPM-002

Cross reference : None

Description : RPM D/D

Repunched D east seen to the right of the D.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	20	40	100	175	320

Comments : Previously unpublished variety. There are bound to be more out there when collectors start looking more at the mintmarks. Remember to publish and share your finds with others.



1907-O/O Repunched Mintmark

RPM-001

Cross reference : RPD-002

Description : RPM O/O

Repunched O south seen below the top and bottom of the normal O mintmark.


Diagnostics :

Obverse – None noted.

Reverse – None noted .

	VF	XF	AU	MS60	MS63
Value :	60	85	150	245	425

Comments : A dramatic new RPM worth searching for. It would be interesting to do an overlay to see if the bottom of the repunched O existed, if it would be touching the rim on the bottom.



1908-D/D Repunched Mintmark

RPM-001

Cross reference : RPD-005

Description : RPM D/D

Repunched D south seen below the top crossbar of the D mintmark.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	18	40	80	140	220

Comments : Some of these new RPMs were found because the obverse contained a repunched date and the reverse was being examined for diagnostics.



1908-D/D Repunched Mintmark

RPM-002

Cross reference : None

Description : RPM D/D

Repunched D south seen below the bottom of the normal D mintmark.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	18	40	80	140	220

Comments : 1908 Barber dimes have over 30 repunched dates and several dramatic misplaced dates. Why are there not more RPMs? Did the same person who struck the date into the obverse also strike the mintmark into the reverse during this period?



1911-S/S Repunched Mintmark

RPM-001

Cross reference : L 101

Description : RPM S/S

Repunched S seen on both serifs.


Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	45	85	120	170	325

Comments : This variety would be difficult to see on lower grades. The interest in dramatic RPMs has increased over the past few years. Many of those who collect die varieties, start by collecting the ones which are dramatic, easy to see, and have some premium for that variety. As collectors become more knowledgeable and increase their search for other RPMs, varieties such as this will be more sought after.



1912-D/D Repunched Mintmark

RPM-001

Cross reference : RPM #1, L-101

Description : RPM D/D

Repunched D north seen above the upper and lower cross bars and above the serifs.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	15	35	105	160	275

Comments : A nice strong repunched mintmark which has been known for a while. This variety is still considered rare. ANACS has only certified two circulated specimens and no uncirculated ones. The other nice thing about this variety, is the base price for the date and mintmark is relatively low and more affordable.



1912-D/D Repunched Mintmark

RPM-002

Cross reference : RPM #2, L-102

Description : RPM D/D

Repunched D northeast seen above top and right side, to the right of the left horizontal bar, and above the bottom.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	15	35	105	150	265

Comments : The nice part about these two 1912-D RPMs is that they are strong enough that will be visible on almost any grade.



1912-S/S Repunched Mintmark

RPM-001

Cross reference : None

Description : RPM S/S

Repunched S southwest seen to the right of the upper and lower curve.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	22	50	130	210	350

Comments : The repunched S is very light. This variety would most likely not be visible on low grades. How is it possible that the mint engraver struck this so light? Perhaps they laid the S mintmark punch on the reverse die while they were getting their bearings. Perhaps the die was not annealed, therefore when they struck the die with the mintmark punch, it did not go deep. If an engraver want to remove an element from the working die such as a mintmark, as the design element is incused (down into) the die, the engraver would have to abrade the die down to the level of the design element. This would leave a hole or depression in the die.



1914-D/D Repunched Mintmark

RPM-001

Cross reference : RPM #1, Breen 3590, L-101

Description : RPM D/D

Repunched D wide northeast, with the bottom right side of the repunched D extending up into the wreath. The lower serif is seen in the middle of the normal D mintmark.

Diagnostics :

Obverse – None noted.

Reverse – Late die stages show strike doubling on the left side of the D.

	VF	XF	AU	MS60	MS63
Value :	20	40	100	150	400

Comments : This is the strongest Barber dime RPM. Only the 1893-S Barber quarter RPM-001 is more dramatic for the three Barber series. This variety is moderately rare. ANACS has certified four of these varieties, the highest grade being MS61.



1914-D/D Repunched Mintmark

RPM-002

Cross reference : L-102

Description : RPM D/D

Repunched D tilted clockwise seen above the lower and upper serifs and to the right of the top of the vertical bar.

Diagnostics :

Obverse – None noted.

Reverse – Die crack from the bottom of the D to the lower left side of the ribbon.

	VF	XF	AU	MS60	MS63
Value :	14	30	80	120	240

Comments : In John Wexler and Tom Miller's RPM book published in 1983, there was only one 1914-D RPM listed for Barber dimes. In David Lawrence's Complete Guide to Barber Dimes published in 1991, there were two 1914-D Barber dime RPMs published. In this book, there are seven. How many more exist?



1914-D/D Repunched Mintmark

RPM-003

Cross reference : None

Description : RPM D/D

Repunched D tilted counter-clockwise. The upper serif of the repunched D is seen below the primary serif, the lower serif and bottom of the D is seen below the left side. The left horizontal bar is seen to the right of the lower horizontal bar.

Diagnostics :

Obverse – None noted.

Reverse – Die crack from the rim at 8 o'clock through the wreath.

	VF	XF	AU	MS60	MS63
Value :	17	35	85	130	260

Comments : Some of these new 1914-D RPMs were discovered while searching for the massive 1914-D RPM-001.



1914-D/D Repunched Mintmark

RPM-004

Cross reference : None

Description : RPM D/D

Repunched D tilted counter-clockwise. Repunching seen on the upper and lower serifs.

Diagnostics :

Die Markers:

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	14	30	80	120	240

Comments : Some of these RPMs look similar, as they are the result of a initial tilted D. Upon close examination, its easy to distinguish. First, look at the relative location to the wreath. Second, how strong is the separation between the primary and secondary D. Third, which way was the D tilted. Fourth, what is the relative location between the primary and secondary D. Using these visual tools, it is easy to determine which variety, or if you have a new variety.



1914-D/D Repunched Mintmark

RPM-005

Cross reference : None

Description : RPM D/D

Repunched D titled counter-clockwise. Repunching seen below the upper and lower serifs.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	14	30	80	120	240

Comments : As with the 1912-D Barber dimes, the base price of the date and mintmark is not that high. 1914-D Barber dimes are also not hard to locate at coin shows. Coins between AU and MS63 are probably the best buy.



1914-D/D Repunched Mintmark

RPM-006

Cross reference : None

Description : RPM D/D

Repunched D tilted clockwise. Repunching seen above the upper and lower serifs.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	14	30	80	120	240

Comments : Looks similar to 1914-D RPM-002, but this mintmark is much farther to the left



1914-D/D Repunched Mintmark

RPM-007

Cross reference : None

Description : RPM D/D

Repunched D east seen to the right of the D.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

	VF	XF	AU	MS60	MS63
Value :	14	30	80	120	240

Comments : A nice RPM to round off the 1914-D Barber dimes. It is well worth checking each 1914-D that you come across.



1915-S/S Repunched Mintmark

RPM-001

Cross reference : RPM #1, L 101, Breen 3592

Description : RPM S/S

Repunched S north seen above the lower serif, middle curve, and upper serif.

Diagnostics :

Obverse – Die scratch from the middle of the U of UNITED through the bottom of the N. Die scratch from the outer ribbon north into the field cross the first die scratch.

Reverse – Die scratch from the denticles into the field at about 7:30.

	VF	XF	AU	MS60	MS63
Value :	55	85	170	275	525

Comments : This variety is not difficult to locate once you locate 1915-S Barber dimes.



**BARBER DIME
REPUNCHED DATES**

1892 Repunched Date

RPD-001

Cross reference : L-101


Description : Repunched Date 1892/2
Repunched 2 south seen below the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	30	65	100	150



1892 Repunched Date

RPD-002

Cross reference : None

Description : Repunched Date 1892/92
Repunched 9 west seen to the left of the knob and in the middle of the lower loop. Repunched 2 east seen to the left of the bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	30	65	100	150



1892 Repunched Date

RPD-003

Cross reference : L-102

Description : Repunched Date 1892/892


Repunched 8 west seen in the middle of the lower loop. Repunched 9 west seen in the middle of the lower loop. Repunched 2 west with a small serif seen to the left of the normal serif.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	22	35	70	110	160



1892 Repunched Date

RPD-004

Cross reference : None

Description : Repunched Date 1892/182


Repunched 1 south seen below the serif. Repunched 8 south seen in the middle of the upper loop. Repunched 2 south seen in the middle of the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	22	35	70	105	155



1892 Repunched Date

RPD-005

Cross reference : None

Description : Repunched Date 1892/1892

Repunched date west, seen to the left of the 1, in the lower loop of the 8, upper loop of the 9, and to the left of the knob of the 2.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	30	65	100	150



1892 Repunched Date

RPD-006

Cross reference : None

Description : Repunched Date 1892/892

Repunched date west, seen in the lower loop of the 8 on the right side, in the upper and lower loop of the 9 on the right side. In the top of the 2.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	30	65	100	150



1892-O Repunched Date RPD-001

Cross reference : L-101

Description : Repunched Date 1892/189


Repunched 189 wide west. Best seen on the left side of the 1 and 8.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	45	55	90	170	350



1892-O Repunched Date RPD-002

Cross reference : None

Description : Repunched Date 1892/892



Repunched date west. Repunched 8 seen inside the upper loop on the right side. Repunched 9 seen in the upper and lower loop on the right side. Repunched 2 seen in upper part on the right side.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	40	50	75	150	300



1893-S Repunched Date**RPD-001**

Cross reference : None

Description : Repunched Date 1893/3

Repunched 3 east seen to the right of the upper and lower knobs.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	40	60	120	225	500

**1893-S Repunched Date****RPD-002**

Cross reference : RPM-001A, L-102

Description : Repunched Date 1893/93

Repunched 9 east seen in the upper loop. Repunched 3 east seen to the right of the upper knob.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	60	90	150	375	650



1895-S Repunched Date**RPD-001**


Cross reference : L-101

Description : Repunched Date 1895/895

Repunched 8 seen above the top. Repunched 9 north seen above the middle and top. Repunched 5 north seen above the middle and top.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	140	190	250	450	950

**1896 Repunched Date****RPD-001**


Cross reference : None

Description : Repunched Date 1896/1896/89

Tripled punched date south. Repunched 1 seen below the bottom. Tripling on the 8 and 9 seen below the middle and bottom. Repunching on the 6 seen below the middle and bottom.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	50	65	100	160	350



1897 Repunched Date**RPD-001**



Cross reference : None

Description : Repunched Date 1897/87

Repunched 8 wide south. Repunching on the 7 seen above the right top.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	35	80	125	175

**1897 Repunched Date****RPD-002**

Cross reference : L-102

Description : Repunched Date 1897/9

Repunched 9 west seen on the right side of the lower loop.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	25	60	105	155



1897 Repunched Date**RPD-003**

Cross reference : None

Description : Repunched Date 1897/9

Repunched 9 south seen below the middle.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	25	60	105	155

**1897 Repunched Date****RPD-004**

Cross reference : None

Description : Repunched Date 1897/189

Repunched 1 west seen to the left of the vertical bar and the lower serif. Repunched 8 west seen on the right side of the upper and lower loop. Repunched 9 west seen on the right side of the lower loop.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	25	65	110	160



1897 Repunched Date

RPD-005

Cross reference : L-101

Description : Repunched Date 1897/1897



Repunched 1 west seen to the left of the upper vertical bar and the upper serif. Repunched 8 west seen to the left of the upper loop, and on the right side of the upper and lower loop. Repunched 9 west seen on the left side of the upper loop and the right inside of the lower loop. Repunched 7 seen on the left side of the upper serif.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	23	38	85	130	180



1898 Repunched Date

RPD-001

Cross reference : L-101


Description : Repunched Date 1898/8
Repunched 8 south seen below the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	25	70	100	145



1898 Repunched Date

RPD-002

Cross reference : None

Description : Repunched Date 1898/898
Repunching on the first 8 seen below the middle and bottom. Repunched 9 north seen above the bottom. Repunched second 8 seen above the bottom

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	25	75	105	155



1898 Repunched Date**RPD-003**

Cross reference : None

Description : Repunched Date 1898/9

Repunching on the 9 west seen to the left of the base of the 9.

Die Markers:**Obverse** - Heavy die chip from the 8 to the base of the neck.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	25	70	95	145

**1898 Repunched Date****RPD-004**


Cross reference : None

Description : Repunched Date 1898/198

Repunched date south. Repunched 1 seen below the upper serif. Repunched 9 seen below the top and middle. Repunched second 8 seen below the top, middle, and bottom.

Die Markers:**Obverse** - None noted.**Reverse** - Die crack from the rim at 12:30 through the top of the wreath.

	VF	XF	AU	MS60	MS63
Value :	15	25	70	100	150



1898 Repunched Date

RPD-005

Cross reference : None

Description : Repunched Date 1898/898


Repunching on the first 8 seen above the bottom and middle. Repunched 9 seen above the bottom and middle. Repunched second 8 seen above the bottom, middle and top.

Die Markers:

Obverse - Die crack through the top of NIT of UNITED.

Reverse - Die crack from the rim to the wreath at 3 o'clock.

	VF	XF	AU	MS60	MS63
Value :	15	25	75	105	155



1898-O Repunched Date RPD-001

Cross reference : DDR-001

Description : Repunched Date 1898/1

Repunched 1 south seen below the bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	140	200	280	550	1250



1898-S Repunched Date**RPD-001**


Cross reference : None

Description : Repunched Date 1898/8

Repunched 8 east seen inside the upper and lower loop on the left side.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	30	55	120	250	900

**1898-S Repunched Date****RPD-002**

Cross reference : L-101

Description : Repunched Date 1898/898/8

Repunched 89 east seen on the left inside and to the right of the 98. Tripled punched second 8, the first 8 is east seen on the left inside of the upper and lower loops, second 8 south seen above the middle.

Die Markers:**Obverse** - Die chip connecting the second 8 and the bust.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	40	65	140	275	925



1898-S Repunched Date

RPD-003

Cross reference : None

Description : Repunched Date 1898/18

Repunched 1 south seen below the bottom. Repunched
8 seen below the bottom.

Die Markers:

Obverse - Die crack from the 8 through the neck to the
rim.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	30	55	120	250	900



1899 Repunched Date**RPD-001**



Cross reference : L-101

Description : Repunched Date 1899/9

Repunched 9 west seen to the left of the ball and in the bottom of the upper loop.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	60	95	130

**1899 Repunched Date****RPD-002**


Cross reference : None

Description : Repunched Date 1899/99

Repunched 99 west seen in the middle of the lower 99s.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	60	95	130



1899 Repunched Date

RPD-003

Cross reference : None

Description : Repunched Date 1899/9


Repunched second 9 south seen below the middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	60	95	135



1899 Repunched Date

RPD-004

Cross reference : None

Description : Repunched Date 1899/89

Repunched 8 west seen to the left of the base.


Repunched first 9 west seen to the left of the base.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	100	140



1899 Repunched Date**RPD-005**

Cross reference : None

Description : Repunched Date 1899/18

Repunched 1 seen below the bottom. Repunched 8 seen below the middle and bottom.

Die Markers:**Obverse** - Die crack from the second 9 to the date.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	28	65	100	140

**1899 Repunched Date****RPD-006**

Cross reference : None

Description : Repunched Date 1899/8

Repunched 8 south seen in the upper loop.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	28	65	100	140



1899 Repunched Date

RPD-007

Cross reference : None

Description : Repunched Date 1899/899


Repunched date east. Repunched 8 seen in the upper and lower loop on the left side. Repunched 99 seen in the lower loop on the right side.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	60	90	135



1899-O Repunched Date RPD-001

Cross reference : L-101

Description : Repunched Date 1899/99/9

Repunched first 9 wide south with the repunched 9 seen above the middle. Repunched second 9 wide south with the top of the secondary 9 seen above the middle. Repunching is also seen below the bottom of the second 9.


Die Markers:

Obverse - None noted.

Reverse - None noted.

VF	XF	AU	MS60	MS63
----	----	----	------	------

Value :	75	125	225	400	1000
---------	----	-----	-----	-----	------



1900 Repunched Date

RPD-001

Cross reference : None

Description : Repunched Date 1900/19

Repunched 1 south seen below the serif and base.


Repunched 9 south seen below the middle and bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	60	100	135



1900 Repunched Date

RPD-002

Cross reference : None

Description : Repunched Date 1900/0


Repunched second 0 north seen above the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	60	100	130




1900-S Repunched Date RPD-001

Cross reference : None
Description : Repunched Date 1900/19
Repunched 1 south seen below the serif and base.
Repunched 9 south seen below the middle.

Die Markers:
Obverse - None noted.
Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	45	80	175	400




1900-S Repunched Date RPD-002

Cross reference : None
Description : Repunched Date 1900/0
Repunching on the second 0 seen below the bottom.

Die Markers:
Obverse - None noted.
Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	42	75	160	375



1901 Repunched Date

RPD-001

Cross reference : L-101

Description : Repunched Date 1901/1

Repunched second 1 south seen below the serif and base.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	14	25	65	95	150



1901 Repunched Date

RPD-002

Cross reference : L-102

Description : Repunched Date 1901/190


Repunched first 1 south seen below the serif and base.
Repunched 9 south seen below the top, middle, and bottom. Repunched 0 seen below the bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	14	25	65	95	150



1901-O Repunched Date RPD-001

Cross reference : L-101

Description : Repunched Date 1901/0
Repunched 0 west seen on the right inside of the 0.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	22	50	115	350	950



1901-O Repunched Date RPD-002

Cross reference : L-102


Description : Repunched Date 1901/91
Repunched 9 east seen on the left side of the upper and lower loop. Repunched second 1 seen to the right.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	22	50	115	350	950



1901-O Repunched Date RPD-003

Cross reference : None

Description : Repunched Date 1901/1


Repunched second 1 south seen below the bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	22	50	115	350	950



1901-O Repunched Date RPD-004

Cross reference : L-103, RPM#1, FS-10, RPM-001

Description : Repunched Date 1901/91



Repunched 9 north seen above the middle. Repunched second 1 north seen above the base and top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	40	80	170	500	1350



1902 Repunched Date

RPD-001

Cross reference : MPD-001

Description : Repunched Date 1902/2
Repunched 2 north seen above the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	35	75	120	180



1902 Repunched Date

RPD-002

Cross reference : None

Description : Repunched Date 1902/9
Repunched 9 south seen below the middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	14	25	65	95	150



1902-O Repunched Date RPD-001

Cross reference : RPM-001

Description : Repunched Date 1902/1

Repunched 1 south seen below the bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	30	50	160	350	800



1903 Repunched Date**RPD-001**

Cross reference : L-101

Description : Repunched Date 1903/1903

Repunched date east with the secondary digits seen to the right.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	14	25	65	95	155

**1903 Repunched Date****RPD-002**

Cross reference : None

Description : Repunched Date 1903/1903

Repunching on all 4 digits east seen to the right.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	28	70	100	160



1903 Repunched Date

RPD-003

Cross reference : None

Description : Repunched Date 1903/3


Repunched 3 west seen on the right side of the upper and lower loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	14	25	65	95	155



1903 Repunched Date

RPD-004

Cross reference : None

Description : Repunched Date 1903/03

Repunched 0 west seen in the middle of the 0. Repunched 3 west seen above and below the middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	14	25	65	95	155



1903 Repunched Date

RPD-005

Cross reference : None

Description : Repunched Date 1903/3



Repunched 3 east seen on the right side of the lower and upper knobs.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	14	25	65	95	155



1903 Repunched Date

RPD-006

Cross reference : None

Description : Repunched Date 1903/3


Repunched 3 west seen on the right side of the upper and lower loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	14	25	65	95	155



1903-O Repunched Date RPD-001

Cross reference : None

Description : Repunched Date 1903/03


Repunched 0 east seen in the middle on the left side and to the right of the bottom of the 0. Repunched 3 east seen to the right of the upper and lower knobs.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	35	90	240	500



1903-O Repunched Date RPD-002

Cross reference : None

Description : Repunched Date 1903/3

Repunched 3 west seen in the middle of the 3 and to the left of the lower knob.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	35	90	240	500



1904 Repunched Date

RPD-001

Cross reference : L-101

Description : Repunched Date 1904/0

Repunched 0 south seen below the bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	26	70	100	180



1904 Repunched Date

RPD-002

Cross reference : L-102

Description : Repunched Date 1904/19

Repunched 1 south seen below the base. Repunched 9 south seen below the middle and bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	26	70	100	180



1904 Repunched Date

RPD-003

Cross reference : None

Description : Repunched Date 1904/1904

Repunched 1 west seen to the left of the upright.

Repunched 9 west seen to the left of the knob.

Repunched 0 west seen in the middle. Repunched 4
south seen below the middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	10	22	65	90	170



1905 Repunched Date

RPD-001

Cross reference : None

Description : Repunched Date 1905/5



Repunched 5 south seen below the middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	95	150



1905 Repunched Date

RPD-002

Cross reference : None

Description : Repunched Date 1905/90

Repunched 9 east seen to the right of the knob.

Repunched 0 east seen on the left inside.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	11	23	60	90	145



1905 Repunched Date**RPD-003**

Cross reference : None

Description : Repunched Date 1905/15Repunched 1 north seen above the top. Repunched
5 south seen below the bottom.**Die Markers:****Obverse** - None noted.**Reverse** - None noted.



	VF	XF	AU	MS60	MS63
Value :	12	25	65	95	150

**1905 Repunched Date****RPD-004**

Cross reference : None

Description : Repunched Date 1905/95Repunched 9 east seen to the right of the knob.
Repunched 5 east seen to the right of the vertical
bar.**Die Markers:****Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	11	23	60	90	145



1905-S Repunched Date

RPD-001

Cross reference : None

Description : Repunched Date 1905/190

Repunched 1 south seen below the bottom. Repunched
9 south seen below the middle and bottom. Repunched
0 south seen below the bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	30	90	175	300



1906 Repunched Date**RPD-001**




Cross reference : MPD-002

Description : Repunched Date 1906/1906

Repunching on all 4 digits seen below the bottom.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	35	80	120	190

**1906 Repunched Date****RPD-002**

Cross reference : None



Description : Repunched Date 1906/190

Repunching on the 1 seen below the base. Repunched 9 seen below the base and to the right of the knob.

Repunched 0 south seen below the top and bottom.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	90	150



1906 Repunched Date

RPD-003

Cross reference : MPD-006

Description : Repunched Date 1906/06



Repunched 0 seen above the base. Repunched 6 seen above the middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	32	75	115	185



1906 Repunched Date

RPD-004

Cross reference : None

Description : Repunched Date 1906/9

Repunched 9 south seen below the middle and bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	85	145



1906 Repunched Date

RPD-005

Cross reference : L-104

Description : Repunched Date 1906/16


Repunched 1 south seen below the bottom. Repunched 6 north seen above the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	90	150



1906 Repunched Date

RPD-006

Cross reference : L-103

Description : Repunched Date 1906/906


Repunched 9 east seen on the left side of the lower and upper loop. Repunched 0 east seen on the left side of the 0. Repunched 6 east seen on the left side of the upper and lower loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	90	150



1906 Repunched Date**RPD-007**



Cross reference : L-102

Description : Repunched Date 1906/1906/06

Repunched 1 east seen on the left side. Repunched
 9 east seen to the left of the knob. Tripled punched
 0 north and south, seen above and below the top.
 Tripled punched 6 seen above the top and below the
 top and middle.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	90	150

**1906 Repunched Date****RPD-008**



Cross reference : None

Description : Repunched Date 1906/6

Repunched 6 north seen above the middle.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	90	150



1906 Repunched Date


RPD-009

Cross reference : None

Description : Repunched Date 1906/196
Repunched 1 south seen below the base. Repunched 9 south seen below the middle. Repunched 6 north seen above the bottom and middle.

Die Markers:
Obverse - None noted.
Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	90	150



1906 Repunched Date


RPD-010

Cross reference : None

Description : Repunched Date 1906/6
Repunched 6 east seen in the middle of the 6.

Die Markers:
Obverse - None noted.
Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	90	150



1906 Repunched Date

RPD-011

Cross reference : None

Description : Repunched Date 1906/6


Repunched 6 east seen in the middle of the 6.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	90	150



1906 Repunched Date

RPD-012

Cross reference : None

Description : Repunched Date 1906/96


Repunched 9 east seen in the upper loop on the left side and to the right of the knob. Repunched 6 south seen in the upper and lower loop on the left side, and below the bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	90	150



1906-D Repunched Date

RPD-001

Cross reference : MPD-002

Description : Repunched Date 1906/1906/9



Repunched 1 seen above the base and top. Triple punched 9, with the second two 9s seen above the base and middle. Repunched 0 seen above the bottom. Repunched 6 seen above the bottom and middle. What looks like the top of a 0 is seen above the base of the 0.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	24	45	100	170	325



1906-D Repunched Date

RPD-002

Cross reference : MPD-003

Description : Repunched Date 1906/906


Repunched 9 seen above the base. Repunched 0 seen above the bottom. Repunched 6 north seen at the bottom of the lower loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	24	45	100	170	320



1906-D Repunched Date

RPD-003

Cross reference : RPM-001

Description : Repunched Date 1906/9

Repunched 9 seen below the top and middle of the 9.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	40	05	165	215



1906-D Repunched Date

RPD-004

Cross reference : MPD-004

Description : Repunched Date 1906/106




Repunched 1 seen below the bottom. Repunched 0 east seen in the middle of the lower 0. Repunched 6 east seen in the middle of the upper and lower loop and to the right.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	24	45	100	180	335



1906-D Repunched Date**RPD-005**

Cross reference : L-103

Description : Repunched Date 1906/06

Repunched 0 north seen above the bottom and top.

Repunched 6 north seen above the bottom, middle, and top.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	30	85	145	275

**1906-D Repunched Date****RPD-006**


Cross reference : None

Description : Repunched Date 1906/6

Repunched 6 north seen above the middle and top.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	30	85	145	275



1906-O Repunched Date RPD-001

Cross reference : MPD-001

Description : Repunched Date 1906/1906

Repunched 1 east. Repunched 9 east seen on the left inside of the upper loop. Repunched 0 seen on the left inside, and above the right side. Repunched 6 seen on the left inside of the lower loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	60	95	145	220	350



1906-O Repunched Date RPD-002

Cross reference : None

Description : Repunched Date 1906/06



Repunched 0 east seen to the right of the top. Repunched 6 wide east seen in the middle of the lower 6 and to the right of the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	45	70	120	190	300



1906-S Repunched Date RPD-001

Cross reference : None


Description : Repunched Date 1906/6
Repunched 6 north seen above the middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	30	85	200	325



1906-S Repunched Date RPD-002

Cross reference : None

Description : Repunched Date 1906/6/6
Tripled punched 6 north seen above the bottom and middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	30	85	200	325



1907 Repunched Date**RPD-001**

Cross reference : L-103

Description : Repunched Date 1907/19/19

Tripled punched 1, with two extra 1s seen above the top of the 1. Tripled punched 9 with one 9 seen above the middle, and two 9s seen above the top.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	90	160

**1907 Repunched Date****RPD-002**

Cross reference : None

Description : Repunched Date 1907/90

Nice repunching on the 9 seen east on the knob.
Repunched 0 east seen on the left inside of the 0.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	60	85	155



1907 Repunched Date**RPD-003**

Cross reference : None

Description : Repunched Date 1907/19

Repunched 1 seen above the base. Repunched 9 north seen above the bottom.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	90	160

**1907 Repunched Date****RPD-004**

Cross reference : L-105

Description : Repunched Date 1907/9

Repunched 9 north seen above the bottom.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	60	85	150



1907 Repunched Date

RPD-005

Cross reference : None

Description : Repunched Date 1907/9/9


Tripled punched 9, the first 9 is south east seen below the top. The second 9 is north seen above the bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	85	155



1907 Repunched Date

RPD-006

Cross reference : None

Description : Repunched Date 1907/97


Repunched 9 south seen in the middle of the upper loop. Repunched 7 south seen below the bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	85	155



1907 Repunched Date

RPD-007

Cross reference : None

Description : Repunched Date 1907/9


Repunched 9 south seen below the middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	85	150



1907 Repunched Date

RPD-008

Cross reference : None

Description : Repunched Date 1907/97


Repunched 9 north seen above the bottom. Repunched 7 south seen below the bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	65	85	150





1907 Repunched Date**RPD-009**

Cross reference : L-102

Description : Repunched Date 1907/97Repunched 9 south seen below the top. Repunched
7 south seen below the bottom.**Die Markers:****Obverse** - None noted.**Reverse** - None noted.


	VF	XF	AU	MS60	MS63
Value :	12	25	60	80	150

**1907 Repunched Date****RPD-010**

Cross reference : None

Description : Repunched Date 1907/9Repunched 9 south seen below the middle and
bottom.**Die Markers:****Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	60	80	150



1907 Repunched Date

RPD-011

Cross reference : None

Description : Repunched Date 1907/7


Repunched 7 south seen below the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	60	80	150



1907-D Repunched Date RPD-001

Cross reference : MPD-002

Description : Repunched Date 1907/907
Repunched 9 seen above the bottom and top.
Repunched 0 seen above the bottom. Repunched 7
seen above the top.

Die Markers:
Obverse - None noted.
Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	30	50	130	285	740




1907-D Repunched Date RPD-002

Cross reference : L-101

Description : Repunched Date 1907/97
Repunched tilted 9 wide north seen in the middle of
the lower and upper loop. Repunched 7 south seen
below the bottom.

Die Markers:
Obverse - None noted.
Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	40	100	250	700



1907-D Repunched Date

RPD-003

Cross reference : L-102

Description : Repunched Date 1907/9

Repunched 9 north seen above the bottom and middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	40	100	250	700



1907-O Repunched Date RPD-001

Cross reference : L-101

Description : Repunched Date 1907/17


Repunched 1 south seen below the base. Repunched 7 south seen below the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	40	60	90	175	300



1907-O Repunched Date RPD-002

Cross reference : RPM-001

Description : Repunched Date 1907/19




Repunched 1 south seen below the base. Repunched 9 south seen below the middle and bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	60	85	150	245	425



1907-S Repunched Date RPD-001

Cross reference : None

Description : Repunched Date 1907/9
Repunched 9 south seen below the base.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	24	45	110	300	750



1907-S Repunched Date RPD-002

Cross reference : L-101

Description : Repunched Date 1907/97
Repunched 9 south seen below the base. Repunched
7 north seen above the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	24	45	110	300	750



1907-S Repunched Date**RPD-003**


Cross reference : None

Description : Repunched Date 1907/07/7

Repunched 0 south seen below the top. Tripled punched 7 seen below the bottom.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	24	45	110	300	750

**1907-S Repunched Date****RPD-004**

Cross reference : MPD-001

Description : Repunched Date 1907/19

Repunched 1 north seen above the top. Repunched 9 north seen above the bottom and middle.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	35	55	130	340	790



1908 Repunched Date

RPD-001

Cross reference : None

Description : Repunched Date 1908/19

Repunched 9 north seen above the middle. Repunched 0 south, with the top of the 0 seen in the middle of the 0. Repunched 8 south with the middle of the 8 seen above the bottom of the 8.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	30	65	100	155



1908 Repunched Date

RPD-002

Cross reference : None

Description : Repunched Date 1908/08


Repunched 0 wide south seen in the middle of the 0. Repunched 8 southwest seen on the inside of the upper and lower loops of the 8.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	55	90	145



1908 Repunched Date**RPD-003**

Cross reference : L-101

Description : Repunched Date 1908/1908

Repunched 1 south seen below the top serif.
Repunched 9 wide south seen below the top, middle,
and bottom. Repunched 0 south seen below the
bottom. Repunched 8 south seen below the top and
middle.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	30	65	100	155

**1908 Repunched Date****RPD-004**


Cross reference : None

Description : Repunched Date 1908/8

Repunched 8 north seen above the bottom.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	55	90	145



1908 Repunched Date**RPD-005**



Cross reference : None

Description : Repunched Date 1908/8

Repunched 8 north seen above the base.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	55	90	145

**1908 Repunched Date****RPD-006**

Cross reference : None

Description : Repunched Date 1908/98

Repunched 9 north seen above the middle. Repunched 8 south seen in the middle of the upper loop.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	55	90	145



1908 Repunched Date**RPD-007**

Cross reference : None


Description : Repunched Date 1908/98

Repunched 9 north seen above the bottom and middle.

Repunched 8 south seen below the top and middle.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	28	60	95	150

**1908 Repunched Date****RPD-008**

Cross reference : None

Description : Repunched Date 1908/98

Repunched 9 north seen above the bottom. Repunched

8 south seen below the top.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	28	60	95	150



1908 Repunched Date

RPD-009

Cross reference : None

Description : Repunched Date 1908/8


Repunched 8 wide south seen above the middle and in the middle of the lower loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	28	60	95	150



1908 Repunched Date

RPD-010

Cross reference : None

Description : Repunched Date 1908/08



Repunched 0 east seen in the middle of the 0.
Repunched 8 east seen in the middle of the lower and upper loops.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	28	60	95	150



1908 Repunched Date

RPD-011

Cross reference : L-104

Description : Repunched Date 1908/8/8


Tripled punched 8 east and east. The first 8 is seen on the left side of the lower and upper loops. The second 8 is seen in the middle of the upper loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	55	90	145



1908 Repunched Date

RPD-012

Cross reference : None

Description : Repunched Date 1908/8

Repunched 8 east seen on the left side of the lower and upper loops.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	55	90	145



1908 Repunched Date**RPD-013**



Cross reference : L-103

Description : Repunched Date 1908/8

Repunched 8 north seen above the middle.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	55	90	145

**1908 Repunched Date****RPD-014**



Cross reference : MPD-003, L-102

Description : Repunched Date 1908/98/8

Repunched 9 east seen to the right of the knob. Tripled punched 8, the first 8 is east seen in the bottom loop on the left side, the second 8 is south seen below the middle.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	40	85	120	170



1908 Repunched Date

RPD-015

Cross reference : None

Description : Repunched Date 1908/08


Repunched 0 north seen above the base. Repunched
8 south seen below the top and middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	12	25	55	90	145



1908-D Repunched Date

RPD-001

Cross reference : None

Description : Repunched Date 1908/19

Repunching 1 south seen below the serif and base.

Repunched 9 south seen below the middle and bottom.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	30	65	120	190



1908-D Repunched Date

RPD-002

Cross reference : None

Description : Repunched Date 1908/8


Repunched 8 south with the top of the 8 seen in the upper loop and the middle of the 8 seen in the lower loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	35	70	135	200



1908-D Repunched Date

RPD-003

Cross reference : None

Description : Repunched Date 1908/08/8

Repunched southeast with the top of the 0 seen on the middle of the 0. Repunching of the 8 is seen in the lower loop of the 8 with two extra 8s seen.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	30	65	120	190



1908-D Repunched Date

RPD-004

Cross reference : None

Description : Repunched Date 1908/1908/908/0


Repunched 1 south seen below the bottom. Triple punched 9 seen above the middle, and below the middle and bottom. Quadrupled punched 0, with three 0s seen inside the 0 and one below the bottom right. Triple punched 8, with the first 8 punched north seen in the middle of the lower loop. The second 8 is west seen to the left of the top of the 8.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	35	75	135	210



1908-D Repunched Date**RPD-005**



Cross reference : RPM-001

Description : Repunched Date 1908/1908/9

Repunched 1 south seen below the serif. Triple punched 9, the first 9 in north seen above the bottom and middle, the second 9 is south seen boldly below the top, middle, and bottom. Repunched 0 seen above the bottom. Repunched 8 south seen in the middle of the top.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	40	80	140	220

**1908-D Repunched Date****RPD-006**


Cross reference : L-101

Description : Repunched Date 1908/98

Repunched 9 north seen above the bottom and middle. Repunched 8 wide south seen in the middle of the upper and lower loop.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	40	75	140	215



1908-D Repunched Date**RPD-007**


Cross reference : None

Description : Repunched Date 1908/9

Repunched 9 south seen below the middle of the 9.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	30	65	120	190

**1908-D Repunched Date****RPD-008**


Cross reference : L-103

Description : Repunched Date 1908/0/0

The bottom of two 0s is seen in the middle of the 0.

Die Markers:**Obverse** - None noted.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	35	70	130	200



1908-D Repunched Date

RPD-009

Cross reference : None

Description : Repunched Date 1908/08

Repunched 0 west seen in the middle of the 0.

Repunched 8 west seen in the middle of the upper loop

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	30	65	120	190



1908-D Repunched Date

RPD-010

Cross reference : None

Description : Repunched Date 1908/908

Repunched 9 west seen in the middle of the lower and upper loops. Repunched 0 west seen on the right side of the inner loop. Repunched 8 west seen on the right side of the lower and upper loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	30	65	120	190



1908-D Repunched Date RPD-011

Cross reference : L-102

Description : Repunched Date 1908/1908/8


Repunched 1 seen above the top. Repunched 9 north west seen in the bottom, the right side of the lower loop, and on the right side of the upper loop. Repunched 0 west seen on the right side of the loop. Triple punched 8, the first 8 is punched west seen in the right side of the lower and upper loops. The second 8 is east seen in the left side of the lower loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	35	70	130	200



1908-D Repunched Date RPD-012

Cross reference : L-104, FS-10.2

Description : Repunched Date 1908/90


Repunched 9 north seen above the bottom and middle. What appears to be the center of an 8 is seen in the middle of the 0.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	35	70	135	210



1908-D Repunched Date

RPD-013

Cross reference : None

Description : Repunched Date 1908/98/9

Tripled punched 9 north with the first 9 seen above the bottom and middle and the second 9 seen above the bottom. Repunched 8 wide east seen in the middle of the lower and upper loops of the 8.

Die Markers:

Obverse - Small die crack from the front of the bust.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	30	65	125	190



1908-D Repunched Date

RPD-014

Cross reference : None

Description : Repunched Date 1908/1908/98


Repunched 1 south seen below the serif. Tripled punched 9, first 9 north seen above the bottom and middle, second 9 south seen below the top and middle. Repunched 0 north seen above the bottom. Tripled punched 8, first 8 north seen above the middle, second 8 south seen below the middle.

Die Markers:

Obverse Thin die crack from the bust to the rim.

Reverse - Die crack from the wreath to the rim at 9 o'clock.

	VF	XF	AU	MS60	MS63
Value :	18	35	70	130	200



1908-D Repunched Date**RPD-015**



Cross reference : None

Description : Repunched Date 1908/1908/08

Repunched 1 west seen to the left of the base.
Repunched 9 north seen above the base. Triple
punched 0, first 0 south seen below the bottom,
second 0 wide south seen in the middle of the 0.
Triple punched 8, first 8 south seen below the bottom.
Second 8 west seen in the middle of the upper and
lower loops.

Die Markers:**Obverse** -None note.**Reverse** - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	30	65	125	190

**1908-D Repunched Date****RPD-016**


Cross reference : None

Description : Repunched Date 1908/8/8

Tripled punched 8 south. The top of two 8s is seen
below the top of the 8.

Die Markers:**Obverse** -None noted.**Reverse** - Die crack from the rim at 8 o'clock through the wreath.

	VF	XF	AU	MS60	MS63
Value :	15	30	65	125	190



1908-D Repunched Date

RPD-017

Cross reference : None

Description : Repunched Date 1908/08/0


Tripled punched 0 north. The bottom of two 0s is seen in the middle of the 0. Repunched 8 south. The top of an 8 is in the middle of the upper loop and the middle of the repunched 8 is seen in the middle of the bottom loop.

Die Markers:

Obverse -None noted.

Reverse - Die crack from the rim at 8 o'clock through the wreath.

	VF	XF	AU	MS60	MS63
Value :	18	35	70	130	200



1908-D Repunched Date

RPD-018

Cross reference : L-105

Description : Repunched Date 1908/08/08/0

Quadruple punched 0. At least 3 different 0s are seen in the middle of the 0. Triple punched 8, at least 2 different 8s are seen inside the upper and lower loops of the 8.

Die Markers:

Obverse -None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	35	70	130	200



1908-D Repunched Date

RPD-019

Cross reference : None

Description : Repunched Date 1908/8

Repunched 8 south seen above the middle of the 8.

Die Markers:

Obverse -None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	35	70	125	195



1908-D Repunched Date

RPD-020

Cross reference : None

Description : Repunched Date 1908/08


Repunched 0 south seen below the top. Repunched 8 south east seen in the middle of the lower loop and below the right bottom.

Die Markers:

Obverse -EDS - No die crack in the date. LDS - Die crack from the 0 through the 8 to the base of the bust.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	18	35	70	125	195



1908-D Repunched Date

RPD-021

Cross reference : None

Description : Repunched Date 1908/8

Repunched 8 east seen inside the upper and lower loops on the left side.

Die Markers:

Obverse -None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	15	30	65	125	190



1908-O Repunched Date RPD-001

Cross reference : L-101

Description : Repunched Date 1908/198/9/8


Repunched 1 south seen below the serif. Tripled punched 9, the first 9 seen below the top, middle and bottom, the second 9 seen above the middle. Tripled punched 8, the first 8 seen in the middle of the top of the 8, the second 8 seen in the bottom right of the lower loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	45	75	150	275	425



1908-O Repunched Date RPD-002

Cross reference : None

Description : Repunched Date 1908/8/8


Tripled punched 8 south seen below the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	45	75	150	275	425



1908-O Repunched Date RPD-003

Cross reference : None

Description : Repunched Date 1908/98/8


Repunched 9 north seen above the middle. Triple punched 8. The bottom of an 8 is seen below the top of the 8. The lower left of a repunched 8 is seen in the middle of the lower loop.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	45	80	160	300	450



1908-S Repunched Date RPD-001

Cross reference : None

Description : Repunched Date 1908/908/08


Repunched 9 west seen on the right side of the upper and lower loops. Triple punched 0 north and north. The bottom of two 0's are seen in the middle of the 0. Triple punched 8 west, with two 8s seen on the right side of the upper and lower loops.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	22	45	160	275	525



1908-S Repunched Date RPD-002

Cross reference : None

Description : Repunched Date 1908/8

Repunched 8 west seen in the upper and lower loop on the right side.

Die Markers:

Obverse - Die crack from the front of the bust to the rim.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	20	40	150	260	500



1908-S Repunched Date RPD-003

Cross reference : None

Description : Repunched Date 1908/98

Repunched 9 south seen below the bottom. Repunched 8 north seen in the middle of the lower and upper loops.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	22	45	160	275	525



1908-S Repunched Date RPD-004

Cross reference : None

Description : Repunched Date 1908/8/8

Tripled punched 8 east seen on the left side of the lower and upper loops.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	202	40	155	270	510



1908-S Repunched Date RPD-005

Cross reference : None

Description : Repunched Date 1908/98

Repunched 9 north seen above bottom and middle.


Repunched 8 south seen above the middle.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	22	45	160	275	525



1908-S Repunched Date RPD-006

Cross reference : None

Description : Repunched Date 1908/908

Repunched 9 north seen above the bottom and middle.

Repunched 0 east seen in the middle of the 0 and to the right of the bottom. Repunched 8 north seen above the top.

Die Markers:

Obverse - None noted.

Reverse - None noted.

	VF	XF	AU	MS60	MS63
Value :	202	40	155	270	510

