

*Two Cent
Doubled Dies*

1864 SM PR Doubled Die Obverse

DDO-001

Cross Reference : KF-SPR1-DDO

Description : *Class IV, Offset Hub Doubling*

Doubling can be seen throughout the coin; especially on the left arrow tip, upper left and right leaves, perimeter of the shield, and IN GOD WE TRUST. The strongest detail of doubling shows on WE and the banner edge below WE.

Diagnostics :

Obverse – None noted.

Reverse – Complete D.

Comments : Very rare, with an estimated 10 to 15 struck.

These coins were originally struck as patterns. Once the Two cent pieces were authorized, these coins were distributed as 1864 proofs. This obverse die was used to strike other patterns. The obverse was hubbed from the same working hub that was used to hub the Small Motto working die for business strikes.



1864 SM Doubled Die Obverse

DDO-002


Cross Reference : KF-S1-DDO, Breen 2371, Kliman 1

Description : *Class II, Distorted Hub Doubling*
Doubling can be seen on the top of TRUST and GOD.

Diagnostics :

Obverse – Die crack through the base of UST of TRUST.

Reverse – Complete D. No die cracks or scratches.



Comments : There was only one Small Motto working die created and used for business strikes. This was most likely a pattern die that was accidentally used for production. No premium above the premium for the Small Motto business strikes.



1864 Doubled Die Obverse

DDO-001

Cross Reference : KF-L1-DDO, Breen 2371

Description : *Class IV+VI, Offset + Tilted Hub Doubling*

Doubling: Class IV - Offset Hub Doubling with the second hubbing to the south. Strong doubling south on IN GOD WE TRUST, upper leaves, horizontal lines in the shield, banner, arrow tips, and circle. Even though for any doubling, the degree of doubling is the same throughout the coin, which indicates a Class IV, there is no doubling seen on the feathers and bottom right leaves. This indicates either the possibility of a tilt hub doubling or that the bottom right side of the obverse resisted the first strike. Another reason for this conclusion is that the leaves on the bottom right have a very shallow strike.

Diagnostics :

Obverse – A large wedge-shaped die chip, 1 millimeter long, pointing right in the field above I of IN. The same die chip exists in 1865 DDO-001. Small die crack extending south east from the ball to the 6. Many die scratches through lower loop of the 6.

Reverse – Complete D. Most letters in the legend are lightly retooled. Die scratch from top of E through the base of D of UNITED to the tip of a leaf in the wreath.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 70 | 130 | 150 | 400 | 600 | 2,800 |

Comments : About 15 to 20 BU specimens of this variety have verified. Still findable at shows. This is the second most sought after doubled die behind the 1867 DDO-001.



1864 Doubled Die Obverse

DDO-002

Cross Reference : KF-L2-DDO

Description : *Class IV, Offset Hub Doubling*
 Doubling can be seen above IN, on the left side of GOD and the right arrow tip. Doubling can be seen at other places, but not as clear.


Diagnostics :

Obverse – Die crack from the rim to the right base of the 4. Small die crack from the ball to the top of the 1 through the left feathers to the bottom left leaves. Small die crack from the left arrow tip through IN. Small die crack through the bottom of GOD. Die crack from the rim through the top of the final T of TRUST through the right arrow tip into the field.

Reverse – Complete D. Die crack from the rim through UNITE. Die crack from the D of UNITED to the rim. Die crack through STATE. Die crack through O of OF to the rim.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |

Comments : The spread here is not dramatic, and this variety is dwarfed by 1864 DDO-001, but this doubled die is still a nice find because the doubling is easily verifiable, even in low grades. A minor doubled die like this, can be verified as doubling and not strike doubling by the secondary serifs and no metal flow between the primary and secondary images.



1864 Doubled Die Obverse

DDO-003

Cross Reference : KF-L3-TPD, RPD-001

Description : *Class II, Distorted Hub Doubling*
Doubling can be seen above IN and on the left side of GOD.

Triple punched date: 1864/1864/184

Triple punched 18, first 18 seen very high to the northwest, second 18 seen above the bases and tops of the 18. Repunched 6, the bottom of the second 6 can be seen below the middle of the 6.

Triple punched 4, both 4s seen below the middle and bottom of the 4.

Diagnostics :

Obverse – Die crack from the bottom left leaf through the left feathers to the rim. Die scratch from the N to G of IN GOD. Die crack from the bottom right leaves to the right feathers.

Reverse – Complete D.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 70 | 130 | 150 | 425 | 650 | 2,800 |

Comments : This variety commands a large premium, not because of the doubling, but because it is one of the nicest repunched dates of any series. Rare in mint state and highly sought after. Notice on the base of the repunched 1, the middle of the base is missing. Now look at the base of the normal 1. Notice that the vertical bar of the 1 is higher than the base. The digits in the date are concave to make it easier to strike into the face of the working die. If the punch is punched lightly, only the highest points of the digits will be seen.



1864 Doubled Die Obverse

DDO-004

Cross Reference : KF-L6-QPD, RPD-004

Description : *Class II, Distorted Hub Doubling*
 Minor doubling can be seen on top of IN GO.

Quadruple Punched Date: 1864/184/14/1
 Quadruple punched 1, first and second 1 seen above the lower left base. The third 1 is about a millimeter above the top of the 1, in the field where you can see a serif and top of the 1.
 Repunched 8 seen above the bottom of the 8.
 Triple punched 4, first 4 seen the left of the vertical bar, second 4 seen below the center and bottom of the 4.



Diagnostics :

- Obverse** – None noted.
- Reverse** – Incomplete D. Thin die scratch from the first T of STATES to the leaves. UNI and CENTS slightly retooled.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



Comments : The doubling is minor on this variety. For many of the minor doubled die Two cent pieces, the doubling is found on the top of IN or on the top of TRUST. Both are about the same distance from the rim. On Class II doubling, you might expect elements that are equal distance from rim to have the same doubling.



1864 Doubled Die Obverse

DDO-005

Cross Reference : KF-L17-RPD, RPD-015

Description : *Class II, Distorted Hub Doubling*
Minor doubling can be seen on top of ST of TRUST.

Repunched Date: 1864/64

Repunched 6 seen above the bottom of the 6.
Repunched 4 seen below the middle of the 4.

Diagnosics :

Obverse – Die scratch from the left banner tip through the two leaves into the field.

Reverse – Complete D. Small die crack from the left stem to U of UNITED. Small die crack from the rim to N of UNITED. Small die crack from the rim through the top of ITED. Most letters show retooling.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |

Comments : Another variety that only shows very minor doubling on the top of the motto. This die variety is scarce in high grade. The doubling is not easily visible on low-grade specimens.



1864 Doubled Die Obverse

DDO-006

Cross Reference : KF-L19-RPD, RPD-017

Description : *Class II, Distorted Hub Doubling*
 Minor doubling can be seen on top of RUST of TRUST.

Repunched Date: 1864/14
 Repunched 1 seen on the left side.
 Repunched 4 seen in the top of the 4.

Diagnostics :

Obverse – Die chips southwest of the 1 right above the rim.

Reverse – Partial D, 350% Rotation. Die crack through the bottom of ATES OF AMERI. Die crack from bottom left to the top serif of I. Retooled UNITED, AMERICA, and CENTS.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |

Comments : Two cent pieces are very undervalued and very underappreciated, even by variety collectors. Yet this series has an abundance of just about every type of variety, some of which are rather dramatic.



1864 Doubled Die Obverse

DDO-007

Cross Reference : KF-L27-RPD, RPD-019

Description : *Class II, Distorted Hub Doubling*
Minor doubling can be seen on top of IN GO.

Repunched Date: 1864/1864

Repunched 1 seen on the left side of the 1.
Repunched 8 seen below the bottom of the 8.
Repunched 6 seen below the right bottom of the 6.
Repunched 4, two horizontal lines seen in the top of the 4.

Clashing:

The outline of the leaves and the wreath can be seen in the lower right side of the shield.


Diagnostics :

Obverse – The left side of the banner above IN GOD struck weakly. Die crack through the bottom of the 18. Small die crack from the bottom left leaves to the left feathers.

Reverse – Complete D.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |

Comments : Clashing occurs when the obverse working die strikes the reverse working die with no planchet between them. The design elements on the working die are incused. The field and outline of the design elements are the highest point of the die and the first to touch on the opposing die. Doubling is minor and not usually visible on low-grade specimens.



1864 Doubled Die Obverse

DDO-008

Cross Reference : KF-L21-RPD, RPD-019

Description : *Class II, Distorted Hub Doubling*
 Minor doubling can be seen on bottom right and left leaves.

Repunched Date: 1864/4
 Repunched 4 seen below the middle and to the left of the lower vertical bar of the 4.

Diagnostics :

Obverse – Two die scratches connecting the left arrow tip, banner, and leaf below. Small die crack through the top of the R of TRUST.

Reverse – Die crack from the left ribbon to the left stem. Die crack from the top of U through the bottom of the NITED STATES OF AM.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |

Comments : The outline of the secondary leaf can be seen with no metal flow between the primary and secondary images. Not visible in lower grades when the design elements merge together through wear.



1864 PR Doubled Die Obverse

DDO-009

Cross Reference : KF-LPR2-TPD, RPD-026

Description : *Class V, Pivoted Hub Doubling*
Master die doubling shows on N of IN and G of GOD.

Triple Punched date: 1864/1864/1864

Tripled 1, first 1 seen to the left and above the top, second 1 seen to the left of the 1.

Tripled 8, first 8 seen above the middle and top, second 8 seen above the middle of the 8.

Tripled 6, first and second 6 seen on the right inside of the loop of the 6.

Tripled 8, first and second 4 seen on the left side of the vertical bar and triangle of the 4.

Diagnostics :




Obverse – Heavy die scratch from the rim through the 18, right feathers, and bottom right two leaves to the rim. Two heavy die scratches from the right side of the lower loop of the 8. Many die scratches from the rim below the 1. Many small die scratches in the field below WE and GOD.

Reverse – Incomplete D.

PR64RB PR65RD PR66RD

Value : 2,600 10,000 20,000

Comments : This coin is absolutely a restrike since it was struck after 1870. The working die used to strike this coin contains the design modifications made by William Barber in 1870. The distinguishing characteristics of the 1870 modified Master Hub are: 1. Berries are smaller and more distinct. 2. On the left side, the fourth cluster of leaves from the top. The right-most leaf was removed. 3. Master Die Doubling - minor doubling shows on the N of IN and G of GOD.



1865 Plain Doubled Die Obverse

001

DDO-

Cross Reference : KF-P1-DDO

Description : *Class IV & V, Offset & Pivot Hub Doubling*

Offset hub doubling can be seen on TRUST, ball, vertical lines in shield, right lower banner edge, leaves and veins on right side, and leaves around the shield. Pivot hub doubling, pivot point at 3 o'clock. Doubling can be seen on the left leaves and IN going clockwise.



Repunched Date: 1865/1

Repunched 1 seen below the top serif of the 1.

Diagnostics :

Obverse – One centimeter long die gouge is in the field above IN. This looks exactly like the die gouge from 1864 DDO-001.

Reverse – Partial D, 5% Rotation. Die scratch from rim through A of STATES to the leaves. Die scratch from M of AMERICA to the leaves. LDS, die crack from top right of M through E of AMERICA, then into the field.



| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 60 | 110 | 130 | 260 | 425 | 1,900 |

Comments : There are many doubled dies for this year in the Two cent pieces. This variety has the largest spread. Doubling visible on most grades. TRUST is visible.



1865 Plain Doubled Die Obverse

DDO-002

Cross Reference : KF-P2-DDO, RPD-001

Description : *Class V, Pivot Hub Doubling*

Doubling can be seen on TRUST, right arrow shaft and tip, bottom leaves on left side, and leaves and veins on the right side.

Repunched Date: 1865/5

Repunched 5 seen above the bottom and middle of the 5.

Diagnostics :

Obverse – Die scratch through the top of RUS of TRUST.

Reverse – Partial D. Small die crack through the top of UNIT. Small die crack through the bottom of ATES O. Small die crack from the field through the top of F of OF to the rim. LDS, die crack from the rim through the top of AME.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 60 | 110 | 130 | 260 | 425 | 1,900 |

Comments : The doubling on this variety is much clearer and more distinct than 1865 DDO-001, especially on TRUST. The doubling on the veins and right-side leaves is the strongest of any 1865 deuces.



1865 Plain Doubled Die Obverse

DDO-003


Cross Reference : KF-P3-DDO

Description : *Class V, Pivot Hub Doubling*
 Doubling can be seen on TRUST, leaves and veins on right side, right feathers, bottom right of the shield, right arrow tip, and shaft.

Diagnostics :
Obverse – LDS, die crack through the top of ST of TRUST, right arrow tip, leaves on the right side, feathers to the top of the 5.
Reverse – Complete D, 350% Rotation. Die crack from rim to D of UNITED. Retooled UNITED. LDS, die crack from the rim to F of OF. LDS, die crack from the rim through the right stem to the right ribbon.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |

Comments : Most of the 1865 doubled dies deuces show doubling mainly on the right side of the coin in a clockwise direction.



1865 Plain Doubled Die Obverse

DDO-004

Cross Reference : KF-P4-DDO

Description : *Class V, Pivot Hub Doubling, CCW*
 Doubling can be seen on TRUST, leaves and veins on right side, right feathers, bottom right of the shield, and the right arrow tip.


Repunched Date: 1865/5

Repunched 5 seen above the bottom of the 5.

Diagnostics :**Obverse** – Die crack from rim to the top of R of AMERICA.**Reverse** – Partial D.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |

Comments : Many of the 1864 Two cent doubled dies are Class II doubled dies. Most of the 1865 are Class V doubled dies. Is this coincidence or a different person who was responsible for this doubling? This variety shows a very weak first hubbing, especially on the leaves.



1865 Plain Doubled Die Obverse


DDO-005

Cross Reference : KF-P5-DDO

Description : *Class V, Pivot Hub Doubling, CCW*
 Doubling can be seen on the right side leaves, right arrow tip, and TRUST.

Diagnostics :
Obverse – None noted.
Reverse – Partial D.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



Comments : Of the 1865 deuces, this variety shows the smallest spread of doubling, but it is still verifiable in most grades. For minor varieties, there is no premium for MS65RD grades because the cost is high at this level.



1865 Plain Doubled Die Obverse

DDO-006

Cross Reference : KF-P6-DDO, KN8

Description : *Class II, Distorted Hub Doubling*
Doubling can be seen on the top of IN GOD WE TRUST.

Repunched Date: 1865/186

Repunched 18 seen above the top of the 1 and 8.
Repunched 6 seen above the top of the 6.

Diagnostics :

Obverse – Die crack from the ball to the top of the 5. Die crack from the right lowest leaf through the right feathers to the rim.

Reverse – Complete D, 10% Rotation. Die crack connecting the top of ITE. Die crack from the rim through E of UNITED to the wreath. Die crack from I of AMERICA to the wreath. Die crack from the rim to the final A of AMERICA. Retooling shows on UNITED and CENTS.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|----|-----|------|------|-------|
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |

Comments : There are seven known 1865 doubled dies, all of which are on Plain 5 varieties. Given that half of the 1965 Two cent working dies were made with the Plain 5 date punch and half of them were of the Fancy 5 type, what are the odds that all doubled dies were only on Plain 5 working dies?



1865 PR Plain Doubled Die Obverse DDO-007

Cross Reference : KF-PPR1-DDO

Description : *Class II, Distorted Hub Doubling*
Doubling can be seen on top of the letters IN GOD TRUST and on the bottom right veins of the leaves.

Diagnostics :

Obverse – Raised dot in the banner to the left of the bottom of W of WE. Raised dot in the banner over the top right of the R of TRUST.

Reverse – Complete D.

Comments : Because this doubled die is on a proof die, there is no premium on the doubling above the normal cost of a proof.



1866 Doubled Die Reverse

DDR-001

Cross Reference : KF-1-DDR, Kliman 9

Description : *Class V, Pivot Hub Doubling*

Strong doubling on the 2, left stem, and ribbon, all leaves on the left side and most of the leaves on the right side. Doubling also seen on the A and E of STATES.


Diagnostics :

Obverse – Small die crack through the bottom of the first 6 into the field to the right of the final 6. Small die crack from the top right of the N of IN into the field of the banner. Small die crack connecting the top of ST of TRUST.

Reverse – Partial D. Die scratch from E of STATES to the wreath.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 60 | 110 | 130 | 270 | 475 | 2,400 |

Comments : This is the only doubled die reverse known for this series. There are many other die varieties that look like Two cent doubled die reverses, but so far all have been strike doubling. This is a great find for the eager treasure hunter.



1867 Doubled Die Obverse

DDO-001

Cross reference : KF-1-DDO, Breen 2392, 1-0-5

Description : *Class I, Rotated Hub Doubling*

Very strong doubling can be seen on IN GOD WE TRUST, leaves, veins, both arrow tips, shafts, most of the perimeter of the shield, and the horizontal and vertical lines of the shield.

Diagnostics :

Obverse – None noted.

Reverse – Incomplete D. Three different reverses, first with 0% rotation, second with 15% rotation, third with 180% rotation.

| | | | | | | |
|----------------|-----|-----|-------|-------|-------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 600 | 900 | 1,800 | 3,000 | 5,000 | 8,000 |

Heritage Auction Pricing Information

| Date of Sale | Grade | Price Realized |
|--------------|-------------|----------------|
| 01/06/2011 | PCGS MS64RB | \$5,175 |
| 09/23/2010 | PCGS MS63BN | \$2,415 |

Comments : This was previously believed to be a Class V.


The problem with this is that the doubling on the lower right vertical lines of the shield is going clockwise. The doubling on the lower left horizontal lines of the shield is also going clockwise, which proves that the rotation is about the middle. What prompted some people to believe that this is a Class V is because there is no doubling seen on the feathers. This was probably from a weak first hubbing on the bottom of the die or tilt hub doubling. About 15 BU specimens have been verified to date.



1867 Doubled Die Obverse

DDO-002

Cross Reference : KF-2-DDO

**Diagnostics :**

Obverse – Die crack from the left banner tip down through the leaves, left feathers, top of date, right feathers, the right leaves to the right banner tip, and through the ST of TRUST to the rim. Die crack from the rim connecting with the die crack listed above to the base of the 1. Die crack from the banner edge through the N G of IN GOD. Die crack from the left arrow tip to N of IN. Die crack from the rim to the banner edge above U of TRUST.




Reverse – Incomplete D. Die crack from the rim to the left stem through the top of UNIT. Die crack through the bottom of UNITED. Die crack from the rim through the top of STATES to the rim. Die crack through the bottom of STATES OF AMERICA. Die crack through the top of F AMERICA. Die crack from the rim through the right stem and right ribbon to the left ribbon.



| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 75 | 100 | 135 | 325 | 440 | 4,600 |

Comments : This variety is a nice Class I example, but is greatly overshadowed by DDO-001. Only a few BU specimens have been found to date.



1867 Doubled Die Obverse

DDO-003



Cross Reference : KF-6-DDO

Description : *Class V, Pivot Hub Doubling*
 Doubling can be seen on TRUST, right arrow tip, banner below TRUST, and leaves on the right side.

Diagnostics :
Obverse – None noted.
Reverse – Incomplete D. Die crack through the top of IT of UNITED to the rim. Die crack from the rim to the T of STATES.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 75 | 95 | 125 | 315 | 425 | 4,500 |

Comments : This is a minor doubled die compared to DDO-001 and DDO-002, but is very rare. No BU specimens have been found to date and only a small handful of circulated specimens have been verified.



1867 PR Doubled Die Obverse

DDO-004

Cross Reference : KF-PR1-DDO

Description : *Class II, Distorted Hub Doubling*
 Doubling can be seen on GOD and TRUST.

Diagnostics :

Obverse – None noted.

Reverse – Complete D.

Comments : As with many of the other proof doubled dies, these varieties can be easily found as proof coinage was saved in high grade and only one or two obverse working dies were used each year. There is no premium for the doubling.



1868 Doubled Die Obverse

DDO-001

Cross Reference : KF-6-RPD

Description : *Class II, Distorted Hub Doubling*
 Minor doubling shows on the top of TRUST.

Repunched Date: 1868/18
 Repunched 1 seen above the top of the 1.
 Repunched first 8 seen above the middle and the top of the 8.


Diagnostics :

Obverse – Die crack from the bottom left leaves through the left feathers through the top of the 18. On later die stages, this crack goes through all the figures of the date into the field right of the date.

Reverse – Incomplete D. Small die crack from the left stem to the U of UNITED. Die crack through the top of UNITE. Die crack through the bottom of STATES OF. Die crack from the rim through the middle of A through the bottom of MERIC.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 90 | 115 | 130 | 300 | 475 | 4,600 |

Comments : There are several 1868 repunched date Two cent pieces that have very similar repunching on the 18. This variety is easy to locate in high grade.



1869 Doubled Die Obverse

DDO-001

Cross Reference : KF-1-DDO

Description : *Class V, Pivot Hub Doubling*
Strong doubling shows on IN GOD, the left side leaves, veins, arrow tip, and banner tip. Minor doubling shows on TRUST.

Diagnostics :

Obverse – None noted.

Reverse – Incomplete D. Clash marks can be seen below the 2 and through CENTS.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|-----|-----|-----|------|------|-------|
| Value : | 120 | 200 | 300 | 500 | 900 | 8,000 |

Comments : A certified specimen graded MS63RB was purchased and sent to a different grading service, where the same coin was graded PR62RB. Two more specimens have been verified as slabbed business strikes. Both proof and MS slabs should be search for this variety, it is extremely rare and highly collectible.



1870 Doubled Die Obverse

DDO-001

Cross Reference : KF-1-TDO

Description : *1st Doubling: Class V, Pivot Hub Doubling*
 Doubling shows on IN GOD WE TRUST,
 strongest on TRUST and both arrow tips.

2nd Doubling: Class V, Pivot Hub Doubling (Master Die Doubling)
 Doubling shows on N of IN and G of GOD.


Diagnostics :

Obverse – LDS, die crack through the top of the date, the right feathers to the leaves on the right. LDS, die crack through the top of ST of TRUST.

Reverse – Partial D. Die crack from the left ribbon through the stem and the top of UNITE. Two die scratches run from the rim through the U of UNITED to the wreath. Die crack through the top of STATE. Die crack through the bottom of ES OF AM. Die crack through the top of MERICA, the right stem to the field below the right ribbon.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 160 | 250 | 340 | 500 | 750 | 4,700 |

Comments : This variety has a nice spread, especially on TRUST. It is also rare and sought after. Four to five BU specimens have been verified to date.



1870 Doubled Die Obverse

DDO-002

Cross Reference : KF-6-DDO, RPD-006

Description : *Class V, Pivoted Hub Doubling*
Nice doubling seen on TRUST and the right arrow tip.

Repunched Date: 1870/0

Repunched 0 south seen below the top and bottom of the 0.

Diagnostics :

Obverse – None noted.

Reverse – Partial D.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|-----|-----|-----|------|------|-------|
| Value : | 150 | 220 | 300 | 460 | 650 | 4,600 |

Comments : This is a doubled die that was not published in the author's first Two cent book published in 1994. Only one specimen has been verified to date.



1871 PR Doubled Die Obverse

DDO-001

Cross Reference : KF-1-DDO, Breen 2405, Kliman 3, 1-O-3

Description : *1st Doubling: Class V, Pivot Hub Doubling, CCW, pivot point 7 o'clock, halfway between the rim and center.*
 Strong doubling shows on TRUST and the right arrow tip. Minor doubling on GOD WE, leaves below TRUST and the banner edge.



2nd Doubling: Class V, Pivot Hub Doubling (Master Die Doubling). Doubling shows on N of IN and G of GOD.



Diagnostics :

Obverse – 7 and 1 almost touch. Obverse of 1870.

Reverse – Incomplete D.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 200 | 235 | 320 | 485 | 960 | 7,700 |

Comments : This variety is commonly found on the 1871 Two cent proofs. It is believed to have also been used for business strikes. These are simply proofs that were released into circulation or subsequently used in circulation.



1871 Doubled Die Obverse

DDO-002

Cross Reference : KF-2-TDO**Description :** *1st Doubling : Class III, Design Hub Doubling*

Doubling mainly shows on the N of IN and W of WE. Other doubling shows on GOD, TRUST, and the bottom leaves on both sides.

2nd Doubling: Class V, Pivot Hub Doubling (Master Die)

Doubling shows on the N of IN and G of GOD.

Repunched Date: 1871/18

Repunched 1 seen below the top of the 1.

Repunched 8 seen below the left outside middle of the 8.


Diagnostics :

Obverse – Obverse of 1870 over Obverse of 1869.

Reverse – Partial D.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|-----|-----|-----|------|------|-------|
| Value : | 190 | 225 | 300 | 475 | 950 | 7,700 |

Comments : This die was first struck with an old 1869 style obverse hub, then struck with a modified 1870 obverse hub. On the left-hand side in the fourth cluster of leaves from the top, an impression of the fifth leaf that existed in the 1869 hub but removed from the 1870 hub is present. But since the 1870 hub did not have this leaf on the second strike of the hub, the impression is weak.



1871 Doubled Die Obverse

DDO-003

Cross Reference : KF-3-TDO


Description: *1st Doubling: Class III, Design Hub Doubling*
 Doubling mainly shows on the N of IN and W of WE. Other doubling shows on GOD, TRUST and the bottom leaves on both sides.

2nd Doubling: Class V, Pivot Hub Doubling (Master Die)
 Doubling shows on the N of IN and G of GOD.

Diagnostics :

Obverse – Obverse of 1870 over Obverse of 1869.
 Die scratch from the right feathers through the ball. Die crack through the top of the 871. Die scratch from the left arrow tip down to the bottom left feathers. Die scratch through the top of ST of TRUST and the right arrow tip to the rim.

Reverse – Partial D. Die crack from the rim through the right stem, ribbon, left ribbon, left stem, and the top of UNITE to the rim.. Die crack through the bottom of STATES OF. Die crack from the rim through AMERI to the rim.



| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 175 | 210 | 285 | 450 | 900 | 7,500 |

Comments : Like the 1871 DDO-002, this die was first struck with an old 1869 style obverse hub, then struck with a modified 1870 obverse hub. This hub does not show the impression of the fifth leaf pictured in the 1871 DDO-002.



1871 Doubled Die Obverse

DDO-004

Cross Reference : KF-4-TDO

Description : *1st Doubling : Class III, Design Hub Doubling*

Doubling mainly shows on the N of IN and W of WE. Other doubling shows on GOD, TRUST and the bottom leaves on both sides.

2nd Doubling: Class V, Pivot Hub Doubling (Master Die)

Doubling shows on the N of IN and G of GOD.


Diagnostics :

Obverse – Small die scratch from the banner above the R to the rim. Many die scratches through the 71 and the bottom left leaves.

Reverse – Partial D. Die crack from the left stem through the top of UNITE.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|-----|-----|-----|------|------|-------|
| Value : | 175 | 210 | 285 | 450 | 900 | 7,500 |

Comments : This doubled die can be easily found with a little searching.



1872 Doubled Die Obverse

DDO-001

Cross reference : KF-1-DDO

Description : *1st : Class II, Distorted Hub Doubling*
 Doubling shows on IN GOD WE TRUST, strongest on top of TRUST, and leaves below TRUST.

2nd Doubling: Class V, Pivot Hub Doubling (Master Die)
 Doubling shows on N of IN and G of GOD.

Diagnostics :

Obverse – Small die crack from the top of the 1 through the left feathers splitting into two cracks. One crack going through the left leaves to the banner and the left arrow tip. Die crack through the top of N GO of IN GOD.


Reverse – Incomplete D. Die crack from the left stem joining a die crack from the rim going through the top of UNITE. Die crack through the bottom of TATES. Small die crack through the bottom of OF. Die crack through the bottom of ERICA. Die crack from the rim through the final A in AMERICA, the right stem, and both the right and left sides of the ribbon.

| | | | | | | |
|----------------|-----|-------|-------|-------|-------|--------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 960 | 1,325 | 1,800 | 4,200 | 9,800 | 25,000 |

Heritage Auction Pricing Information

| Date of Sale | Grade | Price Realized |
|--------------|-------------|----------------|
| 09/23/2010 | PCGS MS62BN | \$3,881 |
| 04/06/2006 | NGC MS63RB | \$2,415 |

Comments : There were only four dies used for 1872 Two cent business strikes, so this variety should not be hard to find.



*Two Cent
Misplaced Dates*

1865 Misplaced Date

MPD-001

Cross Reference : KF-F19-RPD

Description : *Misplaced Date (in field)*

The top of a 1 is seen in the field almost to left arrow feathers.

Diagnostics :

Obverse – Die crack from the rim through the 5. Die scratch from lowest outside leaf of left wreath. Die scratch from base of right banner end.

Reverse – Die crack from left stem to rim. Die crack from rim to O of OF.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 60 | 110 | 135 | 275 | 525 | 2,400 |



Comments : This MPD stands alone as being the only MPD that was punched far left of the final date. Most MPDs are either punched just above or below the date. Whoever did this obviously was not looking at the ball or denticles for a reference. Currently four XF+ specimens are known. Because the strike is sharp, and the obverse is always heavily cracked, it is believed to have failed early.



1865 Misplaced Date

MPD-002

Cross Reference : KF-F22-MPD

Description : *Misplaced Date (in denticles)*

The top of a 6 is clearly seen in the denticles between the 8 and 6. This variety is clearly a 6 and not an 8. Notice the thin top with the sharp downward curve on the right side that is the same shape and contour as the top of the 6.



Diagnostics :

Obverse – Die crack through the tops of IN G. Die crack right top serif of S, top of T, to banner top, near juncture with right arrowhead; across arrowhead along banner; out of banner near end, radically to rim.

Reverse – Die crack from the rim at 10 o'clock to left top of STA. Die cracks through tops of TE to rim over left side of S of STATES. Die crack through tops of MERICA to right stem end.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 60 | 110 | 135 | 275 | 525 | 2,400 |

Comments : Eight specimens are known. This variety has the most obvious digit in the denticles for a Two cent piece and can be seen on low grade circulated specimens.



1868 Misplaced Date

MPD-001

Cross Reference : Kliman 14 N



Description : *Misplaced Date (in denticles)*
The top of a 6 seen in the denticles below the 6.

Repunched Date: 1868/68
Repunched 8 seen below the middle.
Repunched 6 seen below the top and middle.

Diagnostics :
Obverse – Die crack right wreath lowest cluster central leaf, to right arrow feathers, to rim right of date.
Reverse – With Late Obv. - Die crack end left ribbon, left stem end, left side of U at 3/4 height. With Early Obv. - Die crack left ribbon to left stem at mid-length. Die crack through tops of STA.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |

Comments : This coin is rare but not dramatic enough to command a great premium. This obverse was used with two reverse dies.



1868 Misplaced Date

MPD-002

Cross Reference : None

Description : *Misplaced Date (in denticles)*

The top of a 6 seen at the bottom of the denticles slightly to the right of the 6.



Diagnostics :

Obverse – Die crack from the rim at 7 o'clock to the left bottom leaves. Die crack from the rim at 9 o'clock to the banner through IN. Die crack from the rim at 1 o'clock through the top of the banner above ST, through the arrow tip. Die crack from the rim at 3 o'clock down through the leaves and top of the date.

Reverse – None noted.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |

Comments : For some reason, there is an abundance of MPDs in 1868. Four specimens of this variety are known. It should not be hard to find.



1868 Misplaced Date

MPD-003

Cross Reference : KF-1-TPD, Kliman 7F, RPD-001

Description : *Misplaced Date (in denticles)*
The top of a 6 seen in at the top of the denticles below the 6.

Repunched Date: 1868/188/8
Repunched 1 seen above base and top.
Repunched 6 seen below the top and middle.
Triple punched second 8 seen below the top and middle.



Diagnostics :

Obverse – Die crack from the left feathers through the top of the date to the rim.

Reverse – Die crack from the right stem through the top of UNIT. Die crack through the bottom of OF AMERI to the middle of C.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |

Comments : This variety was published in Kliman and Flynn's original Two cent book, neither of which noted the MPD. Most collectors pick this up for the RPD.



1868 Misplaced Date

MPD-004

Cross Reference : Kliman 16P

Description : *Misplaced Date (in denticles)*

The top of a 6 is seen at the bottom of the denticles to the right of the 6.

Diagnostics :

Obverse – Nice die scratch from the field to the left base of the 1.

Reverse – Die crack from the left stem through both ribbons. Die crack through the top of UNITE. Partial D to UNITED. Shift doubling seen on STATES OF AMERICA and the 2.



| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 90 | 115 | 130 | 300 | 475 | 4,600 |

Comments : This coin is rare and the digit in the denticles is not easily identified on low grades because the digit is so close to the rim.



1868 Misplaced Date

MPD-005



Cross Reference : None

Description : *Misplaced Date (in denticles)*
The top of a 6 is seen at the bottom of the denticles to the right of the 8.

Diagnostics :
Obverse – Die scratch from the rim to the left feathers.
Small die crack from the left arrow tip into the field.
Reverse – No top serif to D of UNITED.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 90 | 115 | 130 | 300 | 475 | 4,600 |

Comments : The MPD is almost invisible, except on high grades.



1869 Misplaced Date

MPD-001

Cross Reference : KF-5-RPD, Breen 2398, Kliman 4D + 4E, RPD-004

Description : *Misplaced Date (in denticles)*

What looks like the top of a 1 is protruding from the top of the denticles to the right of the 1.

Repunched Date: 1869/18

Repunched 18 seen above the bottom, middle, and top.


Diagnostics :

Obverse – Die scratch from the right arrow tip through IN, connecting to another die scratch going through the top of the G of GOD. Die scratch from the top of the banner through ST of TRUST back to the top of the banner.

Reverse – Die crack from the left stem to the U of UNITED. Die crack through the bottom of UNI. Die crack through the top of ITE to the rim.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 95 | 145 | 200 | 290 | 450 | 4,500 |

Comments : This is the most common 1869 Two cent pieces. The denticles are very close together, and it is difficult to absolutely verify the digit is in the denticles.



1871 Misplaced Date

MPD-001


Cross Reference : None

Description : *Misplaced Date (in denticles)*
 The top of a 8 is seen in the denticles below the 8.

Diagnostics :
Obverse – Type of 1870 obverse hub.
Reverse – Die crack from the left stem through the U of UNITED to the rim.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 165 | 200 | 270 | 440 | 890 | 7,500 |

Comments : This MPD is visible, even on low grades, making it extremely collectible. There are currently three specimens known.



1871 Misplaced Date

MPD-002


Cross Reference : None

Description : *Misplaced Date (in denticles)*
 The top of a 1 is seen in the denticles to the right of the 1.

Diagnostics :
Obverse – Type of 1870 obverse.
Reverse – None noted.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 165 | 200 | 270 | 440 | 890 | 7,500 |

Comments : This MPD is usually not discernible in low grade. It is rarer than 1871 MPD-001.



Two Cent
Off-Design Clash
Misaligned Clash
Off Denomination Clash

1863 Off-Design Clash

ODC-001

Cross Reference : Judd 312

Description : *Reverse Clashed with Washington Obverse*

The outline of the upside down head of George Washington is seen in the field to the left and right of 2 CENTS. The outline of the letters OUR is seen below the ribbon. The chin and mouth are to the right of the S of CENTS. The back of the hair is to the left of the C of CENTS.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

Comments : In 1863, two obverse designs were submitted for consideration for the Two cent series. The first had a bust portrait of George Washington (Judd 305). The second had the shield that was adopted (Judd 312). Both used the same reverse with a curved CENTS. The Washington obverse working die struck the reverse working die with no planchet between, leaving the outline of Washington's head on the reverse. The reverse was subsequently used with the shield obverse, creating a unique variety. Photos courtesy of Alan Meghrig. Considered extremely rare.





1864 Misaligned Clash

MCD-001

Cross Reference : KF-L24-CLOR

Description : *Misaligned Clashed Die*

Obverse – Strong clash marks can be seen in the field above WE TRU. The impression of the wreath leaves can be seen.

Reverse – Strong clash marks. The impression of the denticles can be seen through the letters TATES OF.




Diagnostics :

Obverse – None noted.

Reverse – Complete D.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 60 | 110 | 130 | 260 | 425 | 1,900 |

Comments : Clashing is not uncommon on the Two cent series. It is much more common in the Three cent nickel series. If a planchet is not fed between the dies in the coining press, the outline of the incused design elements will be left on the opposing die. There are only a handful of off-center clashed dies. An example on the Indian cents is found with the 1880 DDO-001, off-center clashed reverse. As the die is set in the coining press, the question becomes how does it become off-center? Is the die loose, tilted, or done on purpose?




1864 Off-Denomination Clash

ODC-001

Cross Reference : None**Description :** *Reverse Clashed with Indian Obverse*


The outline of the face of the Indian cent is seen in the field to the right of 2 CENTS. The forehead is seen to the right at the top of the 2. The front of the nose is seen above the right side of the S of CENTS. The chin is seen going through the bottom of the TS of CENTS. The neck extends from the T down to the ribbon.

**Diagnostics :****Obverse** – None noted.**Reverse** – Die crack from the E of CENTS down through the neck clash line to the wreath.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 80 | 140 | 170 | 450 | 700 | 3,000 |



Comments : For all U.S. series, there are only six off-denomination clashed dies. Three are on the 1857 Flying Eagle cents, one on a 1857 Liberty Seated quarter, one on a 1870 Shield nickel, and this variety. This makes this type of die variety one of the rarest known. The 1857s were most likely done intentionally. The question is how did this occur? Most likely carelessness. The coiner replaced the reverse die of the Indian cent with the Two cent and accidentally hit the power button.



*Two Cent
Repunched Dates*

1864 Repunched Date RPD-001

Cross Reference : KF-L3-RPD, DDO-003, Breen 2376

Description : *Triple Punched Date 1864/1864/1864*
 Tripled 18, first 18 seen very high to the northwest, second 18 seen above the bases and tops of the 18. Repunched 6, the bottom of the second 6 can be seen below the middle of the 6. Tripled 4, both 4s seen below the middle and bottom of the 4.

Diagnostics :

Obverse – Die crack from the bottom left leaf through the left feathers to the rim. Die scratch from the N to G of IN GOD. Die crack from the bottom right leaves to the right feathers.

Reverse – Complete D.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 70 | 130 | 150 | 400 | 600 | 2,800 |



1864 Repunched Date RPD-002

Cross Reference : KF-L4-QPD, Breen 2376

Description : *Quadruple Punched Date 1864/1864/18/18*
 Quadrupled 18, first 18 seen below the bottoms, second and third 18 seen above the bottoms and tops of the 18. Four serifs can be seen as part of the upper left serif of the 1. Repunched 64 seen below the bottoms of the 64.

Die Markers:

Obverse – Die scratch connecting top of IN to arrow. Die scratch from right side of D of GOD to the fold in the banner.

Reverse – Complete D. Die crack from top of T through the top of ED of UNITED to the rim. Die crack from rim through the top of TA into the field above A of STATES. Small die crack connecting bottom of ES of STATES. Die crack from rim through C connecting to another die crack from R to the leaf below C of AMERICA. Small die gouge on ball of the 2.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 60 | 110 | 130 | 260 | 425 | 1,900 |





1864 Repunched Date RPD-003

Cross Reference : KF-L5-TPD

Description : *Triple Punched Date 1864/1864/146*
 Tripled 1, first and second 1 seen above the base, to the left and the top of the 1. Repunched 8 seen in the lower and upper loop and to the left of the lower loop of the 8. Tripled 6, first 6 seen in the lower loop, second 6 seen in the lower loop and below the 6. Tripled 4, first and second 4 seen to the left of the vertical bar of the 4.



Diagnostics :

Obverse – Small die chip above the left tip of the banner. Heavy die scratch from the banner edge to right of N of IN. Die chip on top of the leaf below RU of TRUST. Heavy horizontal die scratch between right side of the shield and the leaves.

Reverse – Complete D. Small dot in field below left stem. Die crack connecting top of UNIT and the rim above T. UNITED slightly retooled.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |

1864 Repunched Date RPD-004

Cross Reference : DDO-004, KF-L6-QPD, Breen 2911

Description : *Quadruple Punched Date 1864/1864/14/1*
 Quadrupled 1, first and second 1 seen above the lower left base. The third 1 is about a millimeter above the top of the 1, in the field where you can see a serif and top of the 1. Repunched 8 seen above the bottom of the 8. Tripled 4, first 4 seen the left of the vertical bar, second 4 seen below the center and bottom of the 4.

Diagnostics :

Obverse – Doubled die obverse on IN GO of GOD.
Reverse – Incomplete D. Thin die scratch from the first T of STATES to the leaves. UNI and CENTS slightly retooled.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 Repunched Date

RPD-005

Cross Reference : KF-L7-RPD

Description : *Repunched Date 1864/1864*

Repunched 1 seen below the top serif and base of the 1. Repunched 86 seen below the bottoms of the 86. Repunched 4 seen below the middle and bottom of the 4.

Diagnostics :

Obverse – Small die crack from base of the 1 to bottom of the 8. Small die crack from bottom left outermost leaf to the rim. Two heavy die scratches through the lower half of IN G of IN GOD. Small die crack from middle of R of TRUST to the edge of the banner. Small die chip on right side of the first T of TRUST. Die scratch from the right feathers to the rim. Small die scratch from the bottom right leaf through the right feathers to the rim.

Reverse – Complete D. 180% rotation. Small die crack from the left stem to the rim. Small die crack connecting the bases of TE of STATES. Most letters show slight retooling. Many small die scratches through UNITED and AMERICA.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |





1864 Repunched Date RPD-006

Cross Reference : KF-L8-RPD

Description : *Repunched Date 1864/1864*


Repunched 18 seen above the bottom and tops of the 18 and above the middle of the 8. Repunched 6 seen above the bottom of the 6. Repunched 4 seen below the middle and bottom of the 4.

Diagnostics :

Obverse – Die clashing seen on the left side of the shield and in the field between the shield and leaves. Small die crack from the banner above G of GOD to the rim. Small die crack from the banner above the first T of TRUST to the rim. Small raised dot in the field right above the banner between the RU of TRUST.

Reverse – Complete D. Die clash marks in the field northwest of the C of CENTS touching the wreath. Die crack through the top of ITED. Small die crack from the rim through the top of TA of STATES to the rim.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |



1864 Repunched Date RPD-007

Cross Reference : KF-L9-RPD

Description : *Repunched Date 1864/1864*


Repunched 1 seen above the base and top of the 1. Repunched 8 seen above the middle and top of the 8. Repunched 64 seen above the middle and top of the 64.


Diagnostics :

Obverse – Very small die crack from top of the 1 west to the rim. Small die crack from the left banner edge to the left arrow tip through the bottom of IN G. Small die crack through the top of UST of TRUST. Die crack from the right bottom most leaf through the right feathers to the rim.

Reverse – Incomplete D. Very strong clash marks seen below CENTS. STATES OF AMERICA show retooling. No die cracks or scratches.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |





Cross Reference : KF-L10-RPD

Description : *Repunched Date 1864/1864*

Repunched 1 seen above the base, to the left and top of the 1. Repunched 8 seen above the bottom, middle, and top of the 8. Repunched 6 seen above the bottom, middle, and top of the 6. Repunched 4 seen below the middle of the 4.

Diagnostics :

Obverse – Die scratch from the left arrow tip to the middle of I of IN. Tiny dot between the middle of I of IN and the left arrow. Small die crack from the right base of the 1 north. Later die stages showing die chip on the left arrow head.

Reverse – Two Reverses. Reverse #1 - Complete D. Die scratch from below U of UNITED to the U. Reverse #2 - Incomplete D. Die crack from the bottom left ribbon through the left stem to U of UNITED. Die crack from the middle of N through the bottom of ITED to the rim. Die crack through the middle of ST. Die crack through the bottom of TATES OF. Heavy die crack from the right ribbon through the right stem to the rim.



| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |

1864 Repunched Date RPD-009

Cross Reference : KF-L11-RPD

Description : *Repunched Date 1864/186*

Repunched 1 seen above the base and top of the 1.
Repunched 8 seen above the bottom, middle, and top of the 8. Repunched 6 seen above the bottom of the 6.

Diagnostics :

Obverse – Die scratch from the banner edge to the top of G of GOD.

Reverse – Complete D. Die crack from the bottom of E through the S of STATES. Die crack through the bottom of OF. Die crack from the middle of F through the bottom of AMERIC to the rim. Very heavy cracking between ERI. Die crack from the rim through the top of M to the middle of E of AMERICA. Die crack from the right ribbon to the right stem.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 Repunched Date RPD-010

Cross Reference : KF-L12-RPD

Description : *Repunched Date 1864/1864*

Repunched 1 seen to the left of the 1. Repunched 86 seen best above bottom of the 86. Repunched 4 seen to the left of the vertical bar or the 4.

Diagnostics :

Obverse – Die crack from the rim through the 6 to the ball. Die scratch from N of IN to the banner edge above G. Round die chip above the right side of U of TRUST.

Reverse – Partial D. Retooling shows on UNITED, AMERICA, and CENTS. Small die crack from the wreath to the field directly below E of CENTS.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |






1864 Repunched Date RPD-011
Cross Reference : KF-L13-RPD

Description : *Repunched Date 1864/1864*
 Repunched 18 seen below the tops of the 18 and middle of the 8. Repunched 64 seen in upper half of the 64.

Diagnostics :
Obverse – Die scratch from the left banner tip to the leaf below.
Reverse – Complete D. Die crack from the rim through the top of ATE of STATES. Die crack from the middle of E to the bottom of S in STATES. Die crack from the rim through the top of OF. Die crack through the top of MERIC touching the rim above ER. Retooling shows on most letters.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|----|-----|------|------|-------|
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 Repunched Date RPD-012
Cross Reference : KF-L14-RPD

Description : *Repunched Date 1864/1864*
 Repunched 1 seen below the top serif and base of the 1. Repunched 8 seen below the top, middle, and bottom of the 8. Repunched 6 seen below the middle of the 6. Repunched 4 seen below the middle of the 4.

Diagnostics :
Obverse – None noted.
Reverse – Incomplete D. Very small die crack from the left stem through the bottom of UN. Die crack through the top of MER in AMERICA.

| | XF | AU | 60 | 63RB | 64RB | 65RD |
|----------------|----|-----|-----|------|------|-------|
| Value : | 55 | 100 | 125 | 245 | 360 | 1,800 |



1864 Repunched Date RPD-013

Cross Reference : KF-L15-RPD

Description : *Repunched Date 1864/184*
 Repunched 1 seen to the left and above the 1.
 Repunched 8 seen above the bottom, middle, and
 top of the 8. Repunched 4 seen below the middle
 of the 4.

Diagnostics :
Obverse – Die crack from the rim to the base of the 1. Die
 chip inside the loop in G of GOD. Die crack from the
 rim to the left banner tip.
Reverse – Complete D. Horizontal lines seen through the
 bottom of the 2 and EN of CENTS. Die crack from the
 rim to the final A in AMERICA.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |




1864 Repunched Date RPD-014

Cross Reference : KF-L16-RPD

Description : *Repunched Date 1864/64*
 Repunched 6 seen below the top and middle of the
 6. Repunched 4 seen below the middle and bottom
 of the 4.

Diagnostics :
Obverse – None noted.
Reverse – Incomplete D. Die scratch through the middle
 of RIC.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 Repunched Date RPD-015

Cross Reference : DDO-005, KF-L17-RPD

Description : *Repunched Date 1864/64*
 Repunched 6 seen above the bottom of the 6.
 Repunched 4 seen below the middle of the 4.

Diagnostics :

Obverse – Minor doubling on top of ST of TRUST. Die scratch from the left banner tip through the two leaves into the field.

Reverse – Complete D. Small die crack from the left stem to U of UNITED. Small die crack from the rim to N of UNITED. Small die crack from the rim through the top of ITED. Most letters show retooling.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |

1864 Repunched Date RPD-016

Cross Reference : KF-L18-RPD


Description : *Repunched Date 1864/1*
 Repunched 1. What looks like a serif of a 1 seen two thirds the way up the 1 on the left side.

Diagnostics :

Obverse – None noted.

Reverse – Partial D. Small die crack through the bottom of STA of STATES. Small die crack through the bottom of ES OF. Retooling of UNITED.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 Repunched Date RPD-017


Cross Reference : DDO-006, KF-L19-RPD

Description : *Repunched Date 1864/14*
 Repunched 1 seen on the left side. Repunched 4 seen in the top of the 4.

Diagnostics :

Obverse – Minor doubling on RUST OF TRUST. Die chips southwest of the 1 right above the rim.
Reverse – Partial D. Die crack through the bottom of ATES OF AMERI. Die crack from bottom left to the top serif of I. Retooled UNITED, AMERICA and CENTS.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 Repunched Date RPD-018


Cross Reference : KF-L20-RPD

Description : *Repunched Date 1864/14*
 Repunched 1 seen on the left side of the 1. Repunched 4 seen in the top of the 4.

Diagnostics :

Obverse – None noted.
Reverse – Complete D. Die crack from the rim to the first S of STATES. Die crack connecting the bottom of ES of STATES. Two die scratches through O of OF to the leaves below. Die scratch connecting the bottom of the MER.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 Repunched Date RPD-019
Cross Reference : DDO-007, KF-L21-RPD

Description : *Repunched Date 1864/1864*
 Repunched 1 seen on the left side of the 1. Repunched 8 seen below the bottom of the 8. Repunched 6 seen below the right bottom of the 6. Repunched 4, two horizontal lines seen in the top of the 4.

Diagnostics :
Obverse – Minor doubling above the top of IN GO. Die clashing seen with the outline of the leaves and the wreath can be seen in the lower right side of the shield. The left side of the banner above IN GOD struck weakly. Die crack through the bottom of the 18. Small die crack from the bottom left leaves to the left feathers.
Reverse – Complete D. Retooled ATES OF AMERICA.


| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |

1864 Repunched Date RPD-020
Cross Reference : KF-L22-RPD

Description : *Repunched Date 1864/1864/1*
 Triple 1, first 1 seen on the left and above the top and second 1 seen above the top of the 1. Repunched 8 seen above the middle and top of the 8. Repunched 6 seen above the bottom, middle, and top of the 6. Repunched 4 seen above the top of the 4.

Diagnostics :
Obverse – Small die crack connecting the middle of the 64. Die scratch from the middle of I to the bottom of the N of IN. Die scratch from the right feathers to the rim.
Reverse – Complete D. Die crack from the top of M to the top of E of AMERICA. Small die crack from the rim to the top of O of OF.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 Repunched Date RPD-021

Cross Reference : KF-L23-RPD



Description : *Repunched Date 1864/4*
 Repunched 4 seen below the middle of the 4.

Diagnostics :

Obverse – Small die crack from the shield above the left leaves to the vertical lines of the shield. Die scratch through the top of O and the top serif of the D of GOD. Die scratch from the top of T to the middle of R of TRUST.

Reverse – Complete D. Small die crack from the left stem to U of UNITED. Die crack through the top of NIT. Die crack through the bottom of F of OF. Die crack through the bottom of AMERI to the middle of C.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 Repunched Date RPD-022

Cross Reference : KF-L26-TPD


Description : *Triple Punched Date 1864/1864/18*
 Tripled 1, first 1 seen on the left side and above the top, second 1 seen to the left and below the bottom of the 1. Tripled 8, first 8 seen above the bottom and top, second 8 seen below the bottom of the 8. Repunched 6 seen above the bottom of the 6. Repunched 4 seen below the middle and bottom of the 4.

Diagnostics :

Obverse – Die clash, outline of the wreath can be seen in the field below IN GOD WE TRUST. Two die bumps to the right of the top right serif of the N of IN.

Reverse – Partial D. Die clash, outline of the circle and top of the shield can be seen below CENTS.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 Repunched Date RPD-023

Cross Reference : KF-L27-RPD

Description : *Repunched Date 1864/4*
 Repunched 4 seen above the middle and to the left of the lower vertical of the 4.

Diagnostics :

Obverse – Two die scratches connecting the left arrow tip, banner, and leaf below. Small die crack through the top of the R of TRUST.

Reverse – Complete D. Die crack from left ribbon to the left stem. Die crack from the top of U through the bottom of the NITED STATES OF AM.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 Repunched Date RPD-024

Cross Reference : KF-L28-RPD


Description : *Repunched Date 1864/8*
 Repunched 8 seen below the bottom of the 8.

Diagnostics :

Obverse – None noted.

Reverse – Die crack from the rim to the N of UNITED.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1864 PR Repunched Date RPD-025


Cross Reference : KF-LPR1-RPD, Breen's Proof book #3

Description : *Repunched Date 1864/864*
 Repunched 8 seen above the bottom of the 8.
 Repunched 6 seen above the bottom of the 6.

Diagnostics :
Obverse – None noted.
Reverse – Complete D.

PR64RB PR65RD PR66RD

Value : No premium over 1864 proof cost



1864 PR Repunched Date RPD-026


Cross Reference : Breen 2379, DDO-009

Description : *Triple Punched Date 1864/1864/1864*
 Tripled 1, first 1 seen to the left and above the top,
 second 1 seen to the left of the 1. Tripled 8, first 8
 seen above the middle and top, second 8 seen above
 the middle of the 8. Tripled 6, first and second 6 seen
 on the right inside of the loop of the 6. Tripled 4, first
 and second 4 seen on the left side of the vertical bar
 and triangle of the 4.

Diagnostics :
Obverse – This is a proof restrike. Doubling seen on N of
 IN, G of GOD. Heavy die scratch from the rim through
 the 18, right feathers, and bottom right two leaves to the
 rim. Two heavy die scratches from the right side of the
 lower loop of the 8. Many die scratches from the rim
 below the 1. Many small die scratches in the field below
 WE and GOD.
Reverse – Incomplete D.

PR64RB PR65RD PR66RD

Value : 2,600 10,000 20,000





1865F Repunched Date RPD-001


Cross Reference : KF-F1-RPD, Breen 2385, Kliman 20

Description : *Triple Punched Date 1865/1865/18*
 Tripled 1, first 1 seen above the base, second 1 seen above the base, to the left and above the top of the 1. Tripled 8, first 8 seen above the bottom and middle, and second 8 seen above the bottom, middle, and top of the 8. Repunched 6 seen in the lower and upper loop and to the left of the 6. Repunched 5, outline of most of the second 5 can be seen below the top, middle, and bottom of the 5.

Diagnostics :

Obverse – Small dot on left side of first T of TRUST.
Reverse – Partial D. Die crack from the left stem to the rim. Small die crack through the top of ITE of UNITED. Small die crack through the bottom of ES to the middle of O of OF. Die crack from the rim to the top of F of OF. Die crack through the top of MERI. Die crack from the rim through the left of I of AMERICA to the leaves.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 60 | 110 | 135 | 275 | 525 | 2,400 |



1865F Repunched Date RPD-002

Cross Reference : KF-F2-TPD, Breen 2382

Description : *Triple Punched Date 1865/1865/6*
 Repunched 1 seen above the base, to the left, and above the top of the 1. Repunched 8 seen above the bottom, middle, and top of the 8. Tripled 6, first 6 north seen above the top, second 6 seen above the middle and in the middle of the bottom loop of the 6. Repunched 5 seen in the middle of the lower loop and to the left of the ball of the 5.

Diagnostics :

Obverse – Small die crack from the bottom right leaves through the right feathers to the rim.
Reverse – Incomplete D. Small die crack from the bottom of S of STATES through the bottom of OF.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 60 | 110 | 130 | 260 | 425 | 1,900 |





1865F Repunched Date RPD-003

Cross Reference : KF-F3-RPD

Description : *Repunched Date 1865/865*

Repunched 8 seen above the bottom and middle of the 8. Repunched 6 seen in the lower loop on the right side of the 6. Repunched 5 seen below the top and left of the ball of the 5.

Diagnostics :

Obverse – Small engraver’s tool mark above the right base of the 1. Die crack from the rim through the right banner tip, right arrow tip, top of IN, then back to the rim. Die crack through the top of TRU to the rim.

Reverse – Partial D. Most letters show retooling.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |

1865F Repunched Date RPD-004

Cross Reference : KF-F4-RPD, Breen 2386

Description : *Repunched Date 1865/86*

Repunched 8 seen above the bottom and on the outside right of the middle of the 8. Repunched 6 seen above middle on the right side of the 6.

Diagnostics :

Obverse – Die scratch connects the left base and top serif of the 1. Very small die crack connects the right upper and lower loop of the 8. Small semi-circle die scratch in the bottom left of the 6. TRUST is usually struck weak. Late die stage, die crack from rim through the arrows to the banner. Late die stage, die crack from the rim to the banner above GOD.

Reverse – Partial D. Many die bumps above UN of UNITED. Die scratch from the rim to N of UNITED. LDS, heavy die crack from the rim through the left ribbon, left stem to the U of UNITED. LDS, die crack from the rim through the right stem and ribbon joining the die crack from the left ribbon.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865F Repunched Date RPD-005

Cross Reference : KF-F5-RPD

Description : *Repunched Date 1865/65*

Repunched 6 seen on the inner right side of the lower loop. Repunched 5 seen on the inner right side of the lower loop and below the bottom of the 5.




Diagnostics :

Obverse – Small engraver’s tool mark above the right base of the 1. Die crack from the bottom left leaves through the bottom left feathers to the 1. Die crack from the left arrow tip through the top of IN GOD to the banner edge. Die gouge above the G of GOD. Die crack from the final T of TRUST through the right arrow tip down to the first set of leaves. Die crack from the bottom right leaves through the right feathers, through the 5 to the rim.

Reverse – Partial D. Small die crack from the left ribbon into the field. Die crack from the left stem to the U of UNITED. Die crack through the top of NIT to the rim. Die crack through the bottom of TE to the wreath. Die crack through the bottom of ATES OF AMERICA to the right stem then the right ribbon. Die crack from the rim to the first A of AMERICA. Die crack from the rim to the final A of AMERICA.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |





1865F Repunched Date RPD-006

Cross Reference : KF-F6-RPD

Description : *Repunched Date 1865/865*
 Repunched 86 seen on the left side of the lower and upper loop of the 8 and 6. Repunched 5 seen below the middle of the 5.

Diagnostics :

- Obverse** – None noted.
- Reverse** – Incomplete D. Two die cracks from the rim to the left ribbon. Die crack from the rim to the top of U of UNITED. Die crack through the top of TA of STATES. Die crack through the bottom of ATES OF to the rim. Die crack through the bottom of AMERICA to the leaves. Die crack through the top of ME to the rim. Heavy die crack from the rim through the final A of AMERICA to the leaves.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 60 | 110 | 130 | 260 | 425 | 1,900 |

1865F Repunched Date RPD-007

Cross Reference : KF-F7-RPD

Description : *Repunched Date 1865/1865*

Repunched 1 seen to left and above the top of the 1. Repunched 8 seen directly above the middle of the 8. Repunched 6 seen in the middle of the lower loop of the 6. Repunched 5 seen to the left and in the bottom loop.

Diagnostics :

Obverse – Die crack from the banner edge through the top of I of IN through the arrow tip to the leaves.

Reverse – Complete D. Most letters retooled.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 70 | 130 | 150 | 400 | 600 | 2,800 |



1865F Repunched Date RPD-008

Cross Reference : KF-F8-RPD

Description : *Repunched Date 1865/18*


Repunched 1 seen to left of the 1. Repunched 8 seen above the bottom, middle, and top of the 8.

Diagnostics :

Obverse – Die crack from the rim through the base of the 186. Die crack from the bottom left leaves through the left feathers to the 1 of the date. Die crack through IN, the left arrow tip down through all the left leaves to the rim. Die crack connecting the top of US of TRUST. Die crack from the right banner edge down through all the leaves into the field below the 5.

Reverse – Partial D. Die crack connecting MERI of AMERICA. Retooled 2 and STATES OF AMERICA.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |





1865F Repunched Date RPD-010

Cross Reference : KF-F10-RPD

Description : *Repunched Date 1865/865*

- Repunched 8 seen below the middle of the 8.
- Repunched 6 seen to the left and below the 6.
- Repunched 5 seen below the bottom of the 5.

Diagnostics :

- Obverse** – None noted.
- Reverse** – Partial D. Retooling on most letters.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |

1865F Repunched Date RPD-009

Cross Reference : KF-F9-RPD

Description : *Repunched Date 1865/6*




Repunched 6 seen to left and below the 6.

Diagnostics :

Obverse – Small die crack from the left feathers into the field left of the 1. Die crack from the left arrow tip through the top of IN. Die crack from the rim to the right arrow tip.

Reverse – Partial D. Die crack through the top of TED of UNITED to the rim. Small die crack from the bottom of S to the middle of T of STATES. Die crack from the final S of STATES to the rim. Retooling of UNITED.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865F Repunched Date RPD-011

Cross Reference : KF-F11-RPD

Description : *Repunched Date 1865/865*

Repunched 8 seen above the bottom and middle of the 8. Repunched 6 seen below the bottom of the 6. Repunched 5 seen below the top, middle, and bottom of the 5.

Diagnostics :

Obverse – None noted.

Reverse – Incomplete D. Die crack from the rim to the top of the U of UNITED.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865F Repunched Date RPD-012

Cross Reference : KF-F12-RPD

Description : *Repunched Date 1865/1*

Repunched 1 seen above the left base and the top of the 1.

Diagnostics :

Obverse – None noted.

Reverse – Partial D.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865F Repunched Date RPD-013

Cross Reference : KF-F13-RPD

Description : *Repunched Date 1865/5*
 Repunched 5 seen below the middle of the 5.

Diagnostics :

Obverse – None noted.

Reverse – Partial D. Die crack from the rim through the D of UNITED to the wreath. Die crack from the D of UNITED to the S of STATES. Die crack from the rim through the top of TA of STATES. Die crack through the bottom of ATES O. Die crack through the base of AMERICA.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865F Repunched Date RPD-014

Cross Reference : KF-F14-RPD

Description : *Repunched Date 1865/865*
 Repunched 8 seen in the lower and upper loop on the right side of the 8. Repunched 6 seen in the lower and upper loop on the right side of the 6. Repunched 5 seen in the lower loop on the right side and to the left of the top of the 5.

Diagnostics :

Obverse – None noted.

Reverse – Incomplete D. Die crack through the top of NIT of UNITED. Small die crack through the top of ME of AMERICA.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865F Repunched Date RPD-015

Cross Reference : KF-F15-RPD

Description : *Repunched Date 1865/18*
 Repunched 1 seen to the left of the 1. Repunched 8 seen on the right inside of the lower and upper loop and left outside of the upper loop of the 8.

Diagnostics :
Obverse – None noted.
Reverse – Partial D. Die scratch from the bottom left of the 5, southwest toward the rim.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865F Repunched Date RPD-016

Cross Reference : KF-F16-RPD

Description : *Repunched Date 1865/5*
 Repunched 5 seen below the bottom of the 5.

Diagnostics :
Obverse – Die chip protruding from rim below the 1. Die scratch from the top of U to the middle of S of TRUST.
Reverse – Incomplete D. Very small die crack through the top of TED of UNITED. Retooling shows on most letters.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |





1865F Repunched Date RPD-017

Cross Reference : KF-F17-RPD

Description : *Repunched Date 1865/85*
 Repunched 8 seen on the right inside of the upper and lower loop of the 8. Repunched 5 seen below the top and bottom of the 5.

Diagnostics :
Obverse – Heavy die scratch through the TR of TRUST.
Reverse – Partial D. Heavy retooling shows on most letters. Die crack from rim to U of UNITED. Die crack through the top of ATE in STATES. Die crack through the bottom of ES to the middle of O of OF. Die crack from the rim through the top of OF to the rim. Die crack through CA of AMERICA to the right stem.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |




1865F Repunched Date RPD-018

Cross Reference : KF-F18-RPD

Description : *Repunched Date 1865/85*
 Repunched 8 seen above the middle of the 8. Repunched 5 seen below the top and middle of the 5.

Diagnostics :
Obverse – Die crack from the right feathers to the rim below the 5.
Reverse – Incomplete D. Die crack from the left ribbon through the left stem, U of UNITED to the rim. Die crack from the rim through the T to the bottom of the E of UNITED. Die crack from the middle of the D through the bottom of STATES. Die crack from the rim to the previous die crack. Die crack from the rim through the C of AMERICA to the wreath. Die crack from the rim through the right stem, right ribbon to the left ribbon.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865F Repunched Date RPD-019

Cross Reference : KF-F20-RPD

Description : *Repunched Date 1865/165*

Repunched 1 seen below the top of the serif.
Repunched 6 seen on the right side of the inner lower loop of the 6. Repunched 5 seen on the right side of the inner lower loop of the 5.

Diagnostics :

Obverse – Two die scratches from the rim on the left side of the 1. Die crack from the rim to the second set of leaves from the bottom on the left side. Die crack through the left arrow tip. Die crack through the top of IN G.

Reverse – Die crack from the left stem to the rim. Die crack through the bottom of NITED S. Die crack through the bottom of ST. Die crack through the top of TATE. Die crack through the bottom of TES O. Die crack through the bottom of OF AMERICA to the right stem.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865F Repunched Date RPD-020

Cross Reference : KF-21-RPD

Description : *Repunched Date 1865/65*


Repunched 6 seen below the top and on the right side of the inner lower loop of the 6. Repunched 5 seen below the top of the 5.

Diagnostics :

Obverse – Die gouge above the D of GOD. There are a few heavy die scratches or something running through the horizontal lines of the shield.

Reverse – Die crack from the rim through the T of UNITED to the wreath. Die crack through the bottom of ATES O. Die crack through the top of MER.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |






1865P Repunched Date RPD-001

Cross Reference : KF-P2-DDO, DDO-002

Description : *Repunched Date 1865/5*
 Repunched 5 seen above the bottom and middle of the 5.

Diagnostics :
Obverse – Doubling seen on TRUST, bottom leaves on left side, leaves and veins on right side. Die scratch through the top of RUS of TRUST.
Reverse – Complete D. Small die crack through the top of UNIT. Small die crack through the bottom of ATES O. Small die crack from the field through the top of F of OF to the rim. LDS, die crack from the rim through the top of AME.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |




1865P Repunched Date RPD-002

Cross Reference : KF-P6-RPD, DDO-006

Description : *Repunched Date 1865/186*
 Repunched 18 seen above the top of the 1 and 8.
 Repunched 6 seen above the top of the 6.

Diagnostics :
Obverse – Die crack from the ball to the top of the 5. Die crack from the right lowest leaf through the right feathers to the rim.
Reverse – Complete D. Die crack connecting the top of ITE. Die crack from the rim through E of UNITED to the wreath. Die crack from I of AMERICA to the wreath. Die crack from the rim to the final A of AMERICA. Retooling shows on UNITED and CENTS.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865P Repunched Date RPD-003

Cross Reference : KF-P7-TPD


Description : *Triple Punched Date 1865/185/18*
 Tripled 1, first 1 seen below the base, second 1 seen below the base and upper serif of the 1. Tripled 8, first 8 seen above the bottom and top, second 8 seen below the bottom of the 8. Repunched 5 seen above the bottom of the 5.

Diagnostics :

Obverse – Die crack from the right arrow through IN to G of GOD. Die crack from U to the bottom of T of TRUST. Die crack from the right bottom leaf through the right feathers to the rim.

Reverse – Partial D. Die crack through the top of TE of UNITED to the rim. Die crack through the top of TES of STATES to the rim.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865P Repunched Date RPD-004

Cross Reference : KF-P8-RPD

Description : *Repunched Date 1865/1865*
 Repunched 1 seen above the top of the 1. Repunched 8, the curve of the top portion of the repunched 8 can be seen above the middle of the 8. Repunched 6 seen above the middle of the 6. Repunched 5 seen below the top of the 5.




Diagnostics :

Obverse – None noted.

Reverse – Partial D. Die scratch from the middle of the D of UNITED to the S of STATES. Die scratch from the 2 to the leaves above. Retooling shows on most letters.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 55 | 100 | 120 | 240 | 360 | 1,800 |





1865P Repunched Date RPD-005

Cross Reference : KF-P9-RPD

Description : *Repunched Date 1865/165*
 Repunched Plain 5 date punch over Fancy 5 date punch. Repunched 1 very high seen on the upper right side of the 1. Repunched 65 seen below the 65.

Diagnostics :

- Obverse** – None noted.
- Reverse** – Three reverses. Reverse #1 - Partial D. Reverse #2 - Partial D. 20% rotation. Reverse #3 - Partial D. 170% rotation.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 60 | 110 | 130 | 260 | 525 | 2,300 |



1865P Repunched Date RPD-006

Cross Reference : KF-P10-RPD

Description : *Repunched Date 1865/186*
 Repunched 1 seen to the left of the 1. Repunched 8 seen to the right of the bottom of the 8. Repunched 6 seen in the middle of lower loop of the 6.

Diagnostics :

Obverse – None noted.
Reverse – Partial D. Many die scratches from rim to leaves between E of STATES and O of OF.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |

1865P Repunched Date RPD-007





Cross Reference : KF-P11-RPD

Description : *Repunched Date 1865/1*
 Repunched 1 seen above the left base and the top of the 1.

Diagnostics :

Obverse – None noted.
Reverse – Partial D. Die crack from the right stem to the rim. Die crack from the wreath through the final A of AMERICA to the die crack listed above.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865P Repunched Date RPD-008

Cross Reference : KF-P12-RPD



Description : *Repunched Date 1865/15*
 Repunched 1 seen above the top of the 1. Repunched 5 seen below the top of the 5.

Diagnostics :

Obverse – Die break between the top and middle of the 5.

Reverse – Incomplete D.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865P Repunched Date RPD-009

Cross Reference : KF-P13-CLOR

Description : *Repunched Date 1865/65*
 Repunched 65 seen above the bottom of the 65.

Diagnostics :

Obverse – Die clashing seen as an outline of an upside down 2 can be seen in the shield.

Reverse – Partial D. Die clashing seen as the horizontal lines of the obverse shield can be seen below the 2 and through CENTS. The circle and top ornament of the shield can be seen below CENTS. Vertical lines of the shield can be seen through the 2. Most letters show minor retooling.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865P Repunched Date RPD-010

Cross Reference : KF-P16-RPD

Description : *Repunched Date 1865/1865*


Repunched 18 seen above the top of the 18.
Repunched 6 seen above the top of the 6. Repunched
5 seen above the bottom of the 5.

Diagnostics :

Obverse – Die scratch from the bottom right of the 8 to the rim.

Reverse – Two reverses. Reverse #1 - Incomplete D. Reverse #2 - Partial D. Die crack from left stem to the rim to U of UNITED to the wreath. Small die crack through the bottom of ST of STATES. Small die crack through the bottom of TES O. Small die crack through the top of OF. Die crack through the top of MER to the rim. Die crack from the right stem north into the field.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865P Repunched Date RPD-011

Cross Reference : KF-P17-RPD

Description : *Repunched Date 1865/1865*

Repunched 1 seen below the top of the 1. Repunched
8 seen on the inside and to the right of the upper loop
of the 8. Repunched 65 seen below the bottoms of
the 65.

Diagnostics :

Obverse – Small die crack from the rim to the banner edge above IN.

Reverse – Incomplete D.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1865P Repunched Date RPD-012

Cross Reference : KF-P18-RPD

Description : *Repunched Date 1865/15*
Repunched 1 seen above the top of the 1. Repunched 5
5 seen below the top of the 5.

Diagnostics :
Obverse – None noted.
Reverse – Die clashing, the horizontal lines of the obverse shield can be seen through the bottom of 2 and through CENTS.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 220 | 340 | 1,750 |



1866 Repunched Date RPD-001

Cross Reference : KF-2-RPD

Description : *Repunched Date 1866/1866*

Repunched 1 seen below the top of the 1. Repunched 8 seen below the top of the 6. Repunched first 6 seen in the upper and lower loop of the 6. Repunched final 6 seen in the upper loop of the 6.

Diagnostics :

Obverse – Die crack from the left banner tip down through the leaves, left feathers, top of date, right feathers, and through the right leaves to the right banner tip.

Reverse – Incomplete D. Retooling on STATES OF AMERICA.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 230 | 390 | 2,300 |



1866 Repunched Date RPD-002

Cross Reference : KF-3-RPD

Description : *Triple Punched Date 1866/186/8*

Repunched 1 seen below the top serif and bottom of the 1. Tripled 8, first 8 seen below the top, middle, and bottom. The second 8 is seen below the top of the 8. Repunched first 6 seen below the top and middle of the 6.



Diagnostics :

Obverse – None noted.

Reverse – Incomplete D. Die crack connecting the tops of IT of UNITED. Die crack connecting the top of TE of STATES. Die crack through the bottom of ES O. Die crack through the top of OF to the rim.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 230 | 390 | 2,300 |





1866 Repunched Date RPD-003

Cross Reference : KF-4-RPD


Description : *Repunched Date 1866/166*

Repunched 1 seen above the base and top of the 1.
Repunched 66 seen above the middle and tops of the 66.

Diagnostics :

Obverse – Die crack from the left feathers through two leaves to the rim. Die crack from the left arrow tip to the rim. Die crack through the top of RUST to the rim. Die crack from the bottom right leaves through the right feathers and the top of the 66.

Reverse – Incomplete D. Die crack from the left stem to the rim. Die crack from the rim through M of AMERICA to the wreath.



| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 50 | 85 | 110 | 230 | 390 | 2,300 |




1867 Repunched Date RPD-001

Cross Reference : KF-3-RPD

Description : *Repunched Date 1867/186*
 Repunched 1 seen below the upper serif and to the right of the 1. Repunched 8 seen in the upper loop on the left side of the 8. Repunched 6 seen in the upper loop on the left side of the 6.

Diagnostics :
Obverse – None noted.
Reverse – Incomplete D.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 75 | 95 | 125 | 315 | 425 | 4,500 |





1867 Repunched Date RPD-002

Cross Reference : KF-4-RPD

Description : *Repunched Date 1867/67*
 Repunched 6 seen below the top. Repunched 7 seen on the bottom right of the 7.

Diagnostics :
Obverse – Die scratch from banner edge to D of GOD. Die scratch from the final T of TRUST to the right arrow tip.
Reverse – Incomplete D. Die crack from the rim through the bottom of STATES OF. Die crack from the middle of F of OF through the bottom of AMERIC. Retooling on AMERICA.

| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 75 | 95 | 125 | 315 | 425 | 4,500 |



1867 Repunched Date RPD-003

Cross Reference : KF-5-RPD


Description : *Repunched Date 1867/1867*

Repunched 1 seen above the left base of the 1.
Repunched 8 seen below the top and middle of the 8.
Repunched 6 seen below the top, middle, bottom, and ball of the 6.
Repunched 7 seen below the top, bottom, and upper right serif of the 7.


Diagnostics :

Obverse – Die crack from the 1 through the left feathers to the bottom left leaves.

Reverse – Incomplete D. Die crack from the left stem through the top of UNITE. Die crack through the bottom of TED. Die crack through the bottom of ATES OF.



| | | | | | | |
|----------------|----|----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 75 | 95 | 125 | 315 | 425 | 4,500 |



1868 Repunched Date RPD-001

Cross Reference : KF-1-RPD



Description : *Triple Punched Date 1868/168/8*
 Repunched 1 seen above the base and top of the 1.
 Repunched 6 seen below the middle and the ball of the 6.
 Tripled second 8, first 8 seen below the top, second 8 seen below the top and middle of the 8.

Diagnostics :

Obverse – Die crack from the left feathers through the top of the date to the rim below the right feathers.

Reverse – Incomplete D. Die crack from the left ribbon through the left stem through the top of UNIT. Die crack through the bottom of OF AMERIC. Retooling on AMERICA.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |



1868 Repunched Date RPD-002

Cross Reference : KF-2-RPD

Description : *Repunched Date 1868/1868*
 Repunched 1 seen below the top of the 1. Repunched first 8 seen below the top of the 8. Repunched 6 seen below the top and middle of the 6. Repunched second 8 seen above the bottom of the 8.




Diagnostics :

Obverse – Die crack from the left arrow leaves through the top of the 1 to the middle of the first 8. Die crack from the left arrow tip to the left banner tip. Die crack from the rim to the banner edge above the T of TRUST. Die crack from the right arrow tip down to the bottom right leaves.

Reverse – Partial D. Die crack from the left stem through the top of UNI. Die crack through the top of ATE OF STATES. Die crack through the bottom of TES OF. Die crack through the top of OF AMER. Die crack through the bottom of ERICA.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |





1868 Repunched Date RPD-003

Cross Reference : KF-3-RPD

Description : *Repunched Date 1868/186*
 Repunched 1 seen above the top of the 1. Repunched first 8 seen above the top of the 8. Repunched 6 seen above the bottom of the 6.

Diagnostics :

Obverse – None noted.
Reverse – Partial D. Small die crack from the left stem through the bottom of UN. Die crack through the top of NIT. Die crack through the bottom of TED to the top of S of STATES. Small die crack through the bottom of TATES O. Small die crack through the bottom of MER. Retooling on UNITED.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |

1868 Repunched Date RPD-004


Cross Reference : KF-4-RPD


Description : *Repunched Date 1868/8*
 Repunched second 8 seen below the top.

Diagnostics :

Obverse – None noted.
Reverse – Incomplete D. Die crack through the top of UNITE. Die crack through the bottom of MER.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |





1868 Repunched Date RPD-005

Cross Reference : KF-5-RPD

Description : *Repunched Date 1868/1868*


Repunched 1 seen to the left of the 1. Repunched first 8 seen in the lower and upper loop and on the left of the lower loop of the 8. Repunched 6 seen in the lower and upper loop and below the bottom of the 6. Repunched second 8 seen in the upper and lower loop, to the left, and below the 8.



Diagnostics :

Obverse – Small die crack from the top of the 6 to the top of the second 8 into the field. Die crack from the left field through the 5 leaves into the field below the left feathers. Small die crack from the left arrow tip through the top of IN. Small die crack from the final T of TRUST through the right arrow tip. Small die crack from the field on the right side down into the field below the right feathers.

Reverse – Partial D. Die crack from the left stem through the top of UNITED STATE, breaking off and going to the rim between the words. Die crack through the bottom of ES OF. Die crack from the rim through the top of OF, then through the middle of AME of AMERICA. Die crack through the top of MERI. Die crack from the right ribbon through the right stem to the final A of AMERICA.



| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 90 | 115 | 130 | 300 | 475 | 4,600 |

1868 Repunched Date RPD-006

Cross Reference : KF-6-RPD, DDO-001



Description : *Repunched Date 1868/18*
 Repunched 1 seen above the top of the 1. Repunched first 8 seen above the middle and the top of the 8.

Diagnostics :

Obverse – Minor doubling shows on top of TRUST. Die crack from the bottom left leaves through the left feathers through the top of the 18. On later die stages, this crack goes through all the figures of the date into the field right of the date.

Reverse – Incomplete D. Small die crack from the left stem to the U of UNITED. Die crack through the top of UNITE. Die crack through the bottom of STATES OF. Die crack from the rim through the middle of A through the bottom of MERIC.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 90 | 115 | 130 | 300 | 475 | 4,600 |



1868 Repunched Date RPD-007

Cross Reference : KF-7-RPD


Description : *Repunched Date 1868/18*
 Repunched 1 seen above the top of the 1. Repunched first 8 seen above the middle and the top of the 8.

Diagnostics :

Obverse – Die crack from the rim through the base of the 18. Die crack from the rim through the base of the 68, right feathers, half way up the right side through the leaves. Die crack through the top of the date connecting with previous die crack. Small die crack from the left field through the lower leaves to the left feathers. Die crack from the field through the left banner tip, left arrow tip, through the top of IN G. Small ball below the bottom right serif of the I of IN. Die crack from the field to the banner edge above the first T of TRUST.

Reverse – Partial D. Retooling on UNITED and CENTS.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |



1868 Repunched Date RPD-008

Cross Reference : KF-8-RPD


Description : *Repunched Date 1868/186*
 Repunched 1 seen above the base of the 1. Repunched first 8 seen above the bottom and middle of the 8.
 Repunched 6 seen below the top and ball of the 6.

Diagnostics :

Obverse – Small die crack from the rim through the bottom two sets of leaves on the left side into the field below the left feathers.

Reverse – Incomplete D. Small die crack through the top of NITE of UNITED. Die crack from the rim through the top of STATES. Die crack connecting the middle of S O of STATES OF. Small die crack through the top of OF. Small die crack connecting the middle of F A of OF AMERICA. Small die crack through the top of ME of AMERICA.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |



1868 Repunched Date RPD-009

Cross Reference : KF-9-RPD



Description : *Repunched Date 1868/68*
 Repunched 6 seen below the top and middle of the 6. Repunched second 8 seen below the top, middle, and bottom of the 8.

Diagnostics :

Obverse – None noted.

Reverse – Incomplete D. Retooling on all letters.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |



1868 Repunched Date RPD-010

Cross Reference : KF-10-RPD

Description : *Repunched Date 1868/1868*


Repunched 1 seen above the left base of the 1. Repunched first 8 seen above the bottom and middle of the 8. Repunched 6 seen above the middle and top of the 6. Repunched second 8 seen above the bottom, middle, and top of the 8.

Diagnostics :

Obverse – Die crack from the left arrow tip down through the banner to the leaves below. Two die scratches through GOD.

Reverse – Partial D. Small die crack through the top of MERICA.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |



1868 Repunched Date RPD-011

Cross Reference : KF-11-RPD

Description : *Repunched Date 1868/868*

Repunched first 8 seen below the middle of the 8. Repunched 6 seen below the knob of the 6. Repunched second 8 seen below the middle of the 8.

Diagnostics :

Obverse – None noted.

Reverse – Small die crack through the top of UNI. Small die crack through the top of TES of STATES. Die crack through the bottom of MER. Die crack through the top of RICA.

| | | | | | | |
|--|----|----|----|------|------|------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
|--|----|----|----|------|------|------|



1868 Repunched Date RPD-012

Cross Reference : KF-12-RPD


Description : *Repunched Date 1868/1*
 Repunched 1 seen above the top of the 1.

Diagnostics :

Obverse – Thin die crack from the rim to the second cluster of leaves from the bottom right. Heavy die scratch above the N of IN.

Reverse – Die crack from the rim through the top of STA. Die crack through the bottom of ATES OF. Die crack through the top of F AMERI.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |



1868 Repunched Date RPD-013

Cross Reference : KF-13-RPD



Description : *Repunched Date 1868/8*
 Repunched second 8 seen below the top of the 8.

Diagnostics :

Obverse – None noted.

Reverse – None noted.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |



1868 Repunched Date RPD-014

Cross Reference : KF-14-RPD

Description : *Repunched Date 1868/1868*

Repunched 1 seen above the base of the right side of the 1. Repunched first 8 seen above the bottom of the 8. Repunched 6 seen above the bottom of the 6. Repunched second 8 seen below the top and middle of the 8.

Diagnostics :

Obverse – Die crack from the bottom left leaves through the left feathers to the 1. Die crack through the left arrow tip. Two die cracks from the rim above ST of TRUST to the banner edge.

Reverse – Die crack from the D through the bottom of STATES OF AMERICA.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 80 | 100 | 125 | 275 | 450 | 4,500 |



1868 PR Repunched Date RPD-015

Cross Reference : *KF-PR1-RPD*


Description : *Triple Punched Date 1868/168/8*

Repunched 1 seen above the base of the 1. Repunched 6 seen below the top of the 6. Triple punched second 8, first and second 8 south seen below the top of the 8.

Diagnostics :

Obverse – None noted.

Reverse – Partial D.



1869 Repunched Date RPD-001

Cross Reference : KF-2-TPD, Breen 2399





Description : *Triple Punched Date 1869/1869/1*
 Tripled 1, first 1 shows clearly above the base, to the left and above the top. The second 1 can be seen half way up the 1 on the left side. Repunched 8 seen above the bottom, middle, left side, and top of the 8. Repunched 6 seen below the ball of the 6. Repunched 9 seen below the bottom of the 9.

Diagnostics :

Obverse – EDS, no crack through the base of 186. MDS, small die crack through the base of 186. What appears to be an upside down D is seen on the top of G of GOD. A 45 degree die scratch is seen in the field below the first T of TRUST. **LDS,** heavy die crack from the rim through the base of 186 to the rim. Die break between the ball of the 9 and the upper loop of the 9.

Reverse – Partial D.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 120 | 165 | 225 | 320 | 600 | 5,000 |



1869 Repunched Date RPD-002

Cross Reference : KF-3-RPD

Description : *Repunched Date 1869/18*
 Repunched 1 seen above the base of the 1. Repunched 8 seen above the bottom and left of the lower loop.

Diagnostics :

Obverse – Small die crack from left arrow tip to the left banner edge. Die scratch from banner edge through I of IN, the left arrow tip to the leaves below. Small die crack from the banner edge through ST of TRUST.

Reverse – Partial D. Die crack from the left stem through the top of UNITED ST. Small die crack through the top of STA. Small die crack through the top of MERIC. Small die crack from the right stem to the final A of AMERICA.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 95 | 145 | 200 | 290 | 450 | 4,500 |



1869 Repunched Date RPD-003

Cross Reference : KF-4-RPD


Description : *Repunched Date 1869/169*
 Repunched 1 seen above base of the 1. Repunched 6 seen below the bottom of the 6. Repunched 9 seen below the middle and bottom of the 9.

Diagnostics :

Obverse – Small die crack from the banner edge through the top of N of IN. Small die crack from the final T of TRUST through the right arrow tip.

Reverse – Partial D. Die crack from left stem through the top of UNIT. Small die crack through the bottom of STATES. Die crack from the rim through the final A of AMERICA, the right stem, and right ribbon.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 95 | 145 | 200 | 290 | 450 | 4,500 |



1869 Repunched Date RPD-004

Cross Reference : KF-5-RPD, MPD-001

Description : *Repunched Date 1869/18*

Repunched 1 seen above the base and top of the 1.
Repunched 8 seen above the bottom, middle, and top of the 8.

Diagnostics :

Obverse – Small die crack from the left feathers to the 1. Small die crack from the ball to the right feathers. Small die crack from the left arrow tip through the top of IN. Die crack from the banner edge through the top of ST to the right arrow tip. Small die crack from the 9 through the right feathers and leaves on the right side.

Reverse – Partial D. Die crack from the stem to the U of UNITED. Die crack through the top of ITE to the rim. Retooling shows on all letters.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 95 | 145 | 200 | 290 | 450 | 4,500 |



1869 Repunched Date RPD-005

Cross Reference : KF-6-RPD

Description : *Repunched Date 1869/19*

Repunched 1 seen above the top of the 1. Repunched 9 seen below the top and middle of the 9.

Diagnostics :

Obverse – None noted.

Reverse – Partial D. Die crack from the rim to the T of UNITED. Retooling on CENTS, UNITED, and the 2.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 95 | 145 | 200 | 290 | 450 | 4,500 |



1869 Repunched Date RPD-006

Cross Reference : KF-7-RPD

Description : *Repunched Date 1869/18*
 Repunched 1 seen above the base of the 1. Repunched 8 seen above the bottom and middle of the 8.

Diagnostics :
Obverse – None noted.
Reverse – Incomplete D. Die crack through the top of UNI of UNITED. Die crack through the top of TATES.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 95 | 145 | 200 | 290 | 450 | 4,500 |


1869 PR Repunched Date RPD-007

Cross Reference : KF-PR2-RPD

Description : *Repunched Date 1869/9*
 Repunched 9 seen above the bottom, middle, and top of the 9.

Diagnostics :
Obverse – No die cracks or scratches.
Reverse – Partial D.

| | | | | | | |
|----------------|----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 95 | 145 | 200 | 290 | 450 | 4,500 |



1870 Repunched Date RPD-001

Cross Reference : KF-2-RPD

Description : *Repunched Date 1870/1870*


Repunched 1 seen below the top of the 1. Repunched 8 seen below the top, middle, and bottom of the 8. Repunched 7 seen below the top and bottom of the 7. Repunched 0 seen below the top and bottom left of the 0.

Diagnostics :

Obverse – Die crack from the bottom left leaves through the left feathers and the top of the date. Die crack from the bottom of the 0 through the right feathers to the bottom right leaves. Die scratch from the middle of the O through the D of GOD. Small die crack from the rim through the final T of TRUST, the right arrow tip down to the bottom leaves.

Reverse – Partial D. Small die crack from the left stem to the U of UNITED. Small die crack through the top of ITE. Die crack from the rim through STATES to the rim. Die crack through the top of MER of AMERICA to the rim. Die crack from the rim through CA of AMERICA to the right stem.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 145 | 190 | 270 | 440 | 625 | 4,500 |



1870 Repunched Date RPD-002

Cross Reference : KF-3-RPD

Description : *Repunched Date 1870/18*


Repunched 1 seen above the base and top of the 1. Repunched 8 seen above the top and middle of the 8.

Diagnostics :

Obverse – Doubling seen on N of IN and G of GOD. Small die crack from the left arrow tip through the top of IN.

Reverse – Partial D. Small die crack through the top of ME of AMERICA.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 145 | 190 | 270 | 440 | 625 | 4,500 |



1870 Repunched Date RPD-003

Cross Reference : KF-4-RPD

Description : *Repunched Date 1870/87*
 Repunched 8 seen below the middle and on the outside right middle of the 8. Repunched 7 seen below the top of the 7.

Diagnostics :
Obverse – Many die scratches from the left arrow through I of IN. Die scratch connecting the top of GO of GOD.
Reverse – Partial D. Die crack from the left ribbon through the left stem and the top of UNITE.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 145 | 190 | 270 | 440 | 625 | 4,500 |




1870 Repunched Date RPD-004

Cross Reference : KF-5-RPD

Description : *Repunched Date 1870/1*
 Repunched 1 seen above the top of the 1.

Diagnostics :
Obverse – Die scratch through the top of GOD. Die scratch from the middle of U to the top of T of TRUST.
Reverse – Die scratch through STA to the rim.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 145 | 190 | 270 | 440 | 625 | 4,500 |



1870 PR Repunched Date RPD-005

Cross Reference : KF-PR1-RPD

Description : *Repunched Date 1870/18*
 Repunched 1 seen below the base and top of the 1.
 Repunched 8 south seen below the bottom of the 8.

Diagnostics :
Obverse – Doubling shows on N of IN and G of GOD.
 Die scratch from the top of G through the middle of O of GOD. Many die scratches in the field below TR of TRUST.
Reverse – Partial D.

1870 Repunched Date RPD-006

Cross Reference : KF-6-DDO, DDO-002

Description : *Repunched Date 1870/0*
 Repunched 0 south seen below the top and bottom of the 0.

Diagnostics :
Obverse – Doubling seen on TRUST and the right arrow.
Reverse – None noted.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 150 | 220 | 300 | 460 | 650 | 4,600 |



1871 Repunched Date RPD-001

Cross Reference : KF-2-DDO, DDO-002

Description : *Repunched Date 1871/18*
 Repunched 1 seen below the top of the 1. Repunched 8 seen below the left outside middle of the 8.

Diagnostics :
Obverse – Doubling mainly shows on the N of IN and W of WE. Other doubling shows on GOD, TRUST, and the bottom leaves on both sides. Doubling shows on the N of IN and G of GOD.
Reverse – Partial D.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 165 | 200 | 270 | 440 | 890 | 7,500 |



1871 Repunched Date RPD-002

Cross Reference : KF-3-TPD

Description : *Triple Punched Date 1871/1871/1*
 Tripled first 1, first 1 seen above the base and the top, second 1 seen below the left base of the 1. Repunched 8 seen on the left side middle of the 8. Repunched 7 seen below the bottom of the 7. Repunched second 1 seen below the top, the left side and below the base of the 1.

Diagnostics :
Obverse – Doubling shows on N of IN and G of GOD.
Reverse – Partial D. Die crack through the top of UNITED. Small die crack through the bottom of STATES. Small die crack through the bottom of ERIC. Die crack from the top of the C through A of AMERICA to the right stem.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 165 | 210 | 280 | 460 | 915 | 7,600 |





1871 Repunched Date RPD-003

Cross Reference : KF-5-RPD

Description : *Repunched Date 1871/18*

Repunched 1 south seen below the serif. Repunched 8 south seen below the top.

Diagnostics :

Obverse – Doubling mainly shows on the N of IN and W of WE. Other doubling shows on GOD, TRUST, and the bottom leaves on both sides. Doubling shows on the N of IN and G of GOD.

Reverse – Partial D. Die crack from the left stem through the top of UNITE.

| | | | | | | |
|----------------|-----|-----|-----|------|------|-------|
| | XF | AU | 60 | 63RB | 64RB | 65RD |
| Value : | 165 | 200 | 270 | 440 | 890 | 7,500 |



1873 Op Pr Repunched Date RPD-001

Cross Reference : KF-OPR1-RPD

Description : *Repunched Date 1873/3*

Repunched 3 seen above the middle notch of the 3.

Diagnostics :

Obverse – Minor doubling shows on the ST of TRUST.

Doubling shows on N of IN and G of GOD. Die scratch from left arrow tip through IN.

Reverse – None noted.

